

Seed transmission of plant viruses

The ResistVir consortium

July 2006

- o O o -

- Abo, M. E., Alegbejo, M. D., Sy, A. A. & Misari, S. M. (2000).** An overview of the mode of transmission, host plants and methods of detection of rice yellow mottle virus. *Journal of Sustainable Agriculture* **17**, 19-36.
- Abo, M. E. & Sy, A. A. (1998).** Rice virus diseases: Epidemiology and management strategies. *Journal of Sustainable Agriculture* **11**, 113-134.
- Abraham, A. & Makkouk, K. M. (2002).** The incidence and distribution of seed-transmitted viruses in pea and lentil seed lots in Ethiopia. *Seed Science and Technology* **30**, 567-574.
- Achon, M. A., Pinner, M., Medina, V. & Lomonosoff, G. P. (1996).** Biological characteristics of maize dwarf mosaic potyvirus from Spain. *European Journal of Plant Pathology* **102**, 697-705.
- Agranovsky, A. A. (1993).** Virus Diseases of Pepper (Capsicum-Annuum-L) in Ethiopia. *Journal of Phytopathology-Phytopathologische Zeitschrift* **138**, 89-97.
- Ahmad, S. & Alam, N. (2002).** Transmission of Kenaf Yellow Vein Mosaic (KYVM) virus between kenaf cultivars and related species. *Bangladesh Journal of Botany* **31**, 1-7.
- Ahmad, Z., Ghafoor, A. & Bashir, M. (2006).** Effect of seed borne pathogens on seed longevity in chickpea and cowpea under storage at 25 C to 18 degrees C. *Seed Science and Technology* **34**, 69-75.
- Ahmed, W., Butt, T. B., Ihsan, J. & Rehman, A. (2003).** Natural occurrence of tobacco streak virus in cotton in Pakistan and screening for its resistant sources. *Pakistan Journal of Botany* **35**, 401-408.
- Ali, A. & Randles, J. W. (1997).** Early season survey of pea viruses in Pakistan and the detection of two new pathotypes of pea seedborne mosaic potyvirus. *Plant Disease* **81**, 343-347.
- Ali, A. & Randles, J. W. (1998).** The effects of two pathotypes of pea seed-borne mosaic virus on the morphology and yield of pea. *Australasian Plant Pathology* **27**, 226-233.
- Almeida, A. M. R., deAlmeida, L. A., Kiihl, R. A. D. & Domit, L. A. (1995).** Identification of a new strain of the soybean mosaic virus in Brazil. *Arquivos De Biologia E Tecnologia* **38**, 1095-1100.
- Al-Nsour, A., Mansour, A., Al-Musa, A. & Salem, N. (1998).** Distribution and incidence of faba bean necrotic yellows virus in Jordan. *Plant Pathology* **47**, 510-515.
- Antignus, Y., Lapidot, M., Ganaim, N., Cohen, J., Lachman, O., Pearlsman, M., Racciah, B. & Gera, A. (1997).** Biological and molecular characterization of tomato spotted wilt virus in Israel. *Phytoparasitica* **25**, 319-330.
- Aparicio, F., Sanchez-Pina, M. A., Sanchez-Navarro, J. A. & Pallas, V. (1999).** Location of prunus necrotic ringspot ilarvirus within pollen grains of infected nectarine trees: evidence from RT-PCR, dot-blot and in situ hybridisation. *European Journal of Plant Pathology* **105**, 623-627.
- Aramburu, J. & Rovira, M. (2000).** Incidence and natural spread of apple mosaic ilarvirus in hazel in north-east Spain. *Plant Pathology* **49**, 423-427.
- Avgelis, A. D., Katis, N. & Grammatikaki, G. (1992).** Broad Bean Wrinkly Seed Caused by Artichoke Yellow Ringspot Nepovirus. *Annals of Applied Biology* **121**, 133-142.
- Awoderu, V. A. (1991).** Rice Yellow Mottle Virus in West Africa. *Tropical Pest Management* **37**, 356-362.
- Bajwa, M. A. & Pacumbaba, R. P. (1996).** Location of soybean mosaic virus in seed-parts of individual dormant and germinating mottled and non-mottled soybean seeds. *Journal of Phytopathology-Phytopathologische Zeitschrift* **144**, 151-155.
- Bashir, M., Ahmad, Z. & Ghafoor, A. (2002).** Cowpea aphid-borne mosaic potyvirus: a review. *International Journal of Pest Management* **48**, 155-168.
- Bashir, M. & Hampton, R. O. (1993).** Natural Occurrence of 5 Seed-Borne Cowpea Viruses in Pakistan. *Plant Disease* **77**, 948-951.
- Bashir, M. & Hampton, R. O. (1996).** Detection and identification of seed-borne viruses from cowpea (Vigna

- unguiculata (L) Walp) germplasm. *Plant Pathology* **45**, 54-58.
- Bashir, M. & Hampton, R. O. (1996).** Serological and biological comparisons of blackeye cow-pea mosaic and cowpea aphid-borne mosaic potyvirus isolates seed-borne in *Vigna unguiculata* (L) Walp germplasm. *Journal of Phytopathology-Phytopathologische Zeitschrift* **144**, 257-263.
- Benschner, D., Pappu, S. S., Niblett, C. L. & deAgudelo, F. V. (1996).** A strain of soybean mosaic virus infecting *Passiflora* spp in Colombia. *Plant Disease* **80**, 258-262.
- Bos, L. (1992).** New Plant-Virus Problems in Developing-Countries - a Corollary of Agricultural Modernization. *Advances in Virus Research* **41**, 349-407.
- Bos, L. & Huijberts, N. (1996).** Occurrence and transmission of sowbane mosaic virus in seed from naturally infected plants of spinach (*Spinacia oleracea*). *European Journal of Plant Pathology* **102**, 707-711.
- Bottalico, G., Padula, M., Campanale, A., Sialer, M. F., Saccomanno, F. & Gallitelli, D. (2002).** Seed transmission of Artichoke Italian latent virus and Artichoke latent virus in globe artichoke. *Journal of Plant Pathology* **84**, 167-167.
- Boulton, R. E. (1996).** Pea early-browning tobnavirus. *Plant Pathology* **45**, 13-28.
- Bristow, P. R. & Martin, R. R. (1999).** Transmission and the role of honeybees in field spread of blueberry shock ilarvirus, a pollen-borne virus of highbush blueberry. *Phytopathology* **89**, 124-130.
- Broadbent, L., Tinsley, T. W., Buddin, W. & Roberts, E. T. (1951).** The spread of lettuce mosaic in the field. *Annals of Applied Biology* **38**, 689-706.
- Bwye, A. M., Jones, R. A. C. & Proudlove, W. (1999).** Effects of different cultural practices on spread of cucumber mosaic virus in narrow-leafed lupins (*Lupinus angustifolius*). *Australian Journal of Agricultural Research* **50**, 985-996.
- Campbell, R. N., WipfScheibel, C. & Lecoq, H. (1996).** Vector-assisted seed transmission of melon necrotic spot virus in melon. *Phytopathology* **86**, 1294-1298.
- Chagas, C. M., Kitajima, E. W. & Rodrigues, J. C. V. (2003).** Coffee ringspot virus vectored by *Brevipalpus phoenicis* (Acari : Tenuipalpidae) in coffee. *Experimental and Applied Acarology* **30**, 203-213.
- Clover, G. R. G., Hugo, S. A., Harju, V. A., Wright, D. M. & Henry, C. M. (1999).** Preliminary investigations of an uncharacterized virus of winter wheat (*Triticum aestivum* L.) in England. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection* **106**, 275-283.
- Couch, H. B. (1955).** Studies on seed transmission of lettuce mosaic virus. *Phytopathology* **45**, 63-70.
- Coyne, D. P., Steadman, J. R., Godoy-Lutz, G., Gilbertson, R., Arnaud-Santana, E., Beaver, J. S. & Myers, J. R. (2003).** Contributions of the Bean/Cowpea CRSP to management of bean diseases. *Field Crops Research* **82**, 155-168.
- Crescenzi, A., Nuzzaci, M., DeStradis, A., Comes, S. & Piazzolla, P. (1996).** Characterisation of a new virus from escarole. *Annals of Applied Biology* **128**, 65-75.
- Dahal, G. (1992).** Occurrence and Epidemiology of a Potyvirus-Like Disease of Zucchini Squash in Nepal. *Tropical Pest Management* **38**, 144-151.
- Daryono, B. S., Somowiyarjo, S. & Natsuaki, K. T. (2005).** Screening for resistance to Kyuri green mottle mosaic virus in various melons. *Plant Breeding* **124**, 487-490.
- de Assis, F. M. & Sherwood, J. L. (2000).** Evaluation of Seed Transmission of Turnip yellow mosaic virus and Tobacco mosaic virus in *Arabidopsis thaliana*. *Phytopathology* **90**, 1233-1238.
- de Silva, D. P. P., Jones, P. & Shaw, M. W. (2002).** Identification and transmission of Piper yellow mottle virus and Cucumber mosaic virus infecting black pepper (*Piper nigrum*) in Sri Lanka. *Plant Pathology* **51**, 537-545.
- Delfosse, P., Reddy, A. S., Devi, K. T., Legreve, A., Risopoulos, J., Doucet, D., Devi, P. S., Maraite, H. & Reddy, D. V. R. (2002).** Dynamics of *Polymyxa graminis* and Indian peanut clump virus (IPCV) infection on various monocotyledonous crops and groundnut during the rainy season. *Plant Pathology* **51**, 546-560.
- Delfosse, P., Reddy, A. S., Legreve, A., Devi, P. S., Devi, K. T., Maraite, H. & Reddy, D. V. R. (1999).** Indian peanut clump virus (IPCV) infection on wheat and barley: symptoms, yield loss and transmission through seed. *Plant Pathology* **48**, 273-282.
- Desbiez, C. & Lecoq, H. (1997).** Zucchini yellow mosaic virus. *Plant Pathology* **46**, 809-829.

- Dinant, S. & Lot, H. (1992). Lettuce mosaic virus. *Plant Pathology* **41**, 528-542.
- Ding, X. S., Cockbain, A. J. & Govier, D. A. (1992). Improvements in the Detection of Pea Seed-Borne Mosaic-Virus by Elisa. *Annals of Applied Biology* **121**, 75-83.
- Edwards, M. C. (1995). Mapping of the seed transmission determinants of barley stripe mosaic virus. *Molecular Plant-Microbe Interactions* **8**, 906-915.
- Fagbola, O., Boulton, R. E., Jellis, G. J. & Dhillon, N. P. S. (1996). The reaction of some varieties of faba bean (*Vicia faba* L) to pea seed-borne mosaic potyvirus. *Plant Varieties and Seeds* **9**, 43-51.
- Finn, C. E. & Martin, R. R. (1996). Distribution of tobacco streak, tomato ringspot, and raspberry bushy dwarf viruses in *Rubus ursinus* and *R-leucodermis* collected from the Pacific Northwest. *Plant Disease* **80**, 769-772.
- Fletcher, J. D. (1993). Surveys of Virus Diseases in Pea, Lentil, Dwarf and Broad Bean Crops in South Island, New-Zealand. *New Zealand Journal of Crop and Horticultural Science* **21**, 45-53.
- Fletcher, J. D., Russell, A. C. & Butler, R. C. (1999). Seed-borne cucumber mosaic virus in New Zealand lentil crops: yield effects and disease incidence. *New Zealand Journal of Crop and Horticultural Science* **27**, 197-204.
- Fletcher, J. D., Wallace, A. R. & Rogers, B. T. (2000). Potyviruses in New Zealand buttercup squash (*Cucurbita maxima* Duch.): yield and quality effects of ZYMV and WMV 2 virus infections. *New Zealand Journal of Crop and Horticultural Science* **28**, 17-26.
- Fleysh, N., Deka, D., Drath, M., Koprowski, H. & Yusibov, V. (2001). Pathogenesis of Alfalfa mosaic virus in soybean (*Glycine max*) and expression of chimeric rabies peptide in virus-infected soybean plants. *Phytopathology* **91**, 941-947.
- Forster, R. L., Seifers, D. L., Strausbaugh, C. A., Jensen, S. G., Ball, E. M. & Harvey, T. L. (2001). Seed transmission of the High Plains virus in sweet corn. *Plant Disease* **85**, 696-699.
- Fortass, M. & Bos, L. (1992). Broad Bean Mottle Virus in Morocco - Variability, Interaction with Food Legume Species, and Seed Transmission in Faba Bean, Pea, and Chickpea. *Netherlands Journal of Plant Pathology* **98**, 329-342.
- Fukuhara, T. (1999). Double-Stranded RNA in Rice. *Journal of Plant Research* **112**, 131-138.
- Gallo, J. & Jurik, M. (1995). Susceptibility of some pea cultivars to pea seed-borne mosaic virus infection and virus transmission by seeds. *Acta Virologica* **39**, 283-286.
- Garrido, M. J., Ferreira, I. C. & De Uzategui, R. C. (1998). Identification of the SCMV-D virus of sugarcane infecting St Augustin grass in Venezuela. *Interciencia* **23**, 107-112.
- Garrido, M. J., Trujillo, G. E. & De Uzategui, R. C. (2000). Occurrence of sorghum yellow banding virus in Venezuela. *Interciencia* **25**, 321-+.
- Garrido, M. J., Trujillo, G. E. & deUzateguf, R. C. (1996). Identification of strain a of maize dwarf mosaic virus infecting sorghum in Venezuela. *Interciencia* **21**, 166-170.
- Geering, A. D. W. & Randles, J. W. (1994). Interactions between a Seed-Borne Strain of Cucumber Mosaic Cucumovirus and Its Lupin Host. *Annals of Applied Biology* **124**, 301-314.
- Ghabrial, S. A., Debaio, L. & Shepherd, R. J. (1982). Radioimmunosorbent assay for detection of lettuce mosaic virus in lettuce seed. *Plant Disease* **66**, 1037-1040.
- Gillaspie, A. G., Hajimorad, M. R. & Ghabrial, S. A. (1998). Characterization of a severe strain of cucumber mosaic cucumovirus seedborne in cowpea. *Plant Disease* **82**, 419-422.
- Gillaspie, A. G., Hopkins, M. S. & Pinnow, D. L. (1993). Relationship of Cowpea Seed-Part Infection and Seed Transmission of Blackeye Cowpea Mosaic Potyvirus in Cowpea. *Plant Disease* **77**, 875-877.
- Gillaspie, A. G., Hopkins, M. S., Pinnow, D. L. & Hampton, R. O. (1995). Seed-Borne Viruses in Preintroduction Cowpea Seed Lots and Establishment of Virus-Free Accessions. *Plant Disease* **79**, 388-391.
- Gillaspie, A. G., Hopkins, M. S., Pinnow, D. L. & Jordan, R. L. (1998). Characteristics of a potyvirus of the bean yellow mosaic virus subgroup in *Sesbania speciosa* germ plasm. *Plant Disease* **82**, 807-810.
- Gillaspie, A. G., Pappu, H. R., Jain, R. K., Rey, M. E. C., Hopkins, M. S., Pinnow, D. L. & Morris, J. B. (1998). Characteristics of a latent potyvirus seedborne in guar and of guar green-sterile virus. *Plant Disease* **82**, 765-770.

- Gillaspie, A. G., Pio-Ribeiro, G., Andrade, G. P. & Pappu, H. R. (2001).** RT-PCR detection of seedborne Cowpea aphid-borne mosaic virus in peanut. *Plant Disease* **85**, 1181-1182.
- Glasa, M., Hriovský, I. & Kudela, O. (1999).** Evidence for non-transmission of plum pox virus by seed in infected plum and myrobalan. *Biologia* **54**, 481-484.
- Golnaraghi, A. R., Shahraeen, N., Pourrahim, R., Farzadfar, S. & Ghasemi, A. (2004).** Occurrence and relative incidence of viruses infecting soybeans in Iran. *Plant Disease* **88**, 1069-1074.
- Grogan, R. G., Welch, J. E. & Bardin, R. (1952).** Common lettuce mosaic and its control by the use of mosaic-free seed. *Phytopathology* **42**, 573-578.
- Guerri, J., Pina, J. A., Vives, M. C., Navarro, L. & Moreno, P. (2004).** Seed transmission of Citrus leaf blotch virus: implications in quarantine and certification programs. *Plant Disease* **88**, 906-906.
- Guglielmo, L., Jenner, C. E., Walsh, J. A., Ramasso, E., Marian, D. & Roggero, P. (2000).** An unusual isolate of turnip mosaic potyvirus from *Abutilon theophrasti* in Piedmont, Italy. *Phytoparasitica* **28**, 149-152.
- Gulya, T. J., Shiel, P. J., Freeman, T., Jordan, R. L., Isakeit, T. & Berger, P. H. (2002).** Host range and characterization of Sunflower mosaic virus. *Phytopathology* **92**, 694-702.
- Hamilton, R. I. (1997).** Legume virus research in Canada: A retrospective and a view of the future. *Canadian Journal of Plant Pathology-Revue Canadienne De Phytopathologie* **19**, 208-214.
- Hampton, R. O., Albrechtsen, S. E. & Mathur, S. B. (1992).** Seed Health (Viruses) of *Vigna-Unguiculata* Selections from Developing-Countries. *Seed Science and Technology* **20**, 23-38.
- Hampton, R. O. & Francki, R. I. B. (1992).** Rna-1 Dependent Seed Transmissibility of Cucumber Mosaic-Virus in *Phaseolus-Vulgaris*. *Phytopathology* **82**, 127-130.
- Hampton, R. O., Kraft, J. M. & Muehlbauer, F. J. (1993).** Minimizing the Threat of Seed-Borne Pathogens in Crop Germ Plasm - Elimination of Pea Seed-Borne Mosaic-Virus from the Usda-Ars Germ Plasm Collection of *Pisum-Sativum*. *Plant Disease* **77**, 220-224.
- Hao, N. B., Albrechtsen, S. E. & Nicolaisen, M. (2003).** Detection and identification of the blackeye cowpea mosaic strain of Bean common mosaic virus in seeds of *Vigna unguiculata* ssp. from North Vietnam. *Australasian Plant Pathology* **32**, 505-509.
- Hariri, D., Prud'homme, H., Fouchard, M., Boury, G., Signoret, P. & Lapierre, H. (2001).** Aubian wheat mosaic virus, a new soil-borne wheat virus emerging in France. *European Journal of Plant Pathology* **107**, 775-785.
- Harsanyi, A., Boddı, B., Boka, K., Almasi, A. & Gaborjanyi, R. (2002).** Abnormal etioplast development in barley seedlings infected with BSMV by seed transmission. *Physiologia Plantarum* **114**, 149-155.
- Harsanyi, A., Boddı, B., Boka, K. & Gaborjanyi, R. (2005).** Pathogen affected greening process of barley seedlings infected with BSMV by seed transmission. *Cereal Research Communications* **33**, 209-212.
- Hohmann, F., Fuchs, E., Gruntzig, M. & Oertel, U. (1999).** A contribution to the ecology of Sugarcane mosaic potyvirus (SCMV) and Maize dwarf mosaic potyvirus (MDMV) in Germany. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection* **106**, 314-324.
- Hu, W. Q., Pu, Z. Q., Xu, Z. G. & Fang, Z. D. (1996).** A viral disease of broad bean caused by a non-aphid-transmissible strain of turnip mosaic virus. *Plant Pathology* **45**, 843-847.
- Huguenot, C., Furneaux, M. T., Clare, J. A. & Hamilton, R. I. (1996).** Improved diagnosis of cowpea aphid-borne mosaic virus in Africa: Significance for cowpea seed-indexing, breeding programs and potyvirus taxonomy. *Archives of Virology* **141**, 137-145.
- Hunter, D. G. & Bowyer, J. W. (1993).** Cytopathology of Lettuce Mosaic-Virus-Infected Lettuce Seeds and Seedlings. *Journal of Phytopathology-Phytopathologische Zeitschrift* **137**, 61-72.
- Hunter, D. G. & Bowyer, J. W. (1994).** Cytopathology of Anthers and Pollen from Lettuce Plants Infected by Lettuce Mosaic-Virus. *Journal of Phytopathology-Phytopathologische Zeitschrift* **142**, 107-114.
- Hunter, D. G. & Bowyer, J. W. (1994).** Cytopathology of Mature Ovaries from Lettuce Plants Infected by Lettuce Mosaic Potyvirus. *Journal of Phytopathology-Phytopathologische Zeitschrift* **140**, 11-18.
- Hunter, D. G. & Bowyer, J. W. (1997).** Cytopathology of developing anthers and pollen mother cells from lettuce plants infected by lettuce mosaic potyvirus. *Journal of Phytopathology-Phytopathologische Zeitschrift* **145**, 521-524.

- Iftikhar, S., Ahmad, I. & Hameed, A. (2003).** Occurrence of *Spongospora subterranea* in soils of potato growing areas of Pakistan. *Pakistan Journal of Botany* **35**, 1015-1025.
- Izadpanah, K., Huth, W., Lesemann, D. E. & Vetten, H. J. (1993).** Properties of Johnsongrass Chlorotic Stripe Mosaic-Virus. *Journal of Phytopathology-Phytopathologische Zeitschrift* **137**, 105-117.
- Jadão, A. S., Pavan, M. A., da Silva, N. & Zerbini, F. M. (2002).** Transmissão via semente do Lettuce mosaic virus (LMV) patótipos II e IV em diferentes genótipos de alface. *Summa Phytopathologica* **28**, 58-61.
- Jeyanandarajah, P. (1992).** Seed-Borne Viruses Infecting 3 Important Leguminous Food Crops in Sri-Lanka. *Seed Science and Technology* **20**, 629-641.
- Jeyanandarajah, P. & Brunt, A. A. (1993).** The Natural Occurrence, Transmission, Properties and Possible Affinities of Cowpea Mild Mottle Virus. *Journal of Phytopathology-Phytopathologische Zeitschrift* **137**, 148-156.
- Johansen, E., Edwards, M. C. & Hampton, R. O. (1994).** Seed Transmission of Viruses - Current Perspectives. *Annual Review of Phytopathology* **32**, 363-386.
- Johansen, I. E., Dougherty, W. G., Keller, K. E., Wang, D. & Hampton, R. O. (1996).** Multiple viral determinants affect seed transmission of pea seedborne mosaic virus in *Pisum sativum*. *Journal of General Virology* **77**, 3149-3154.
- Johansen, I. E., Keller, K. E., Dougherty, W. G. & Hampton, R. O. (1996).** Biological and molecular properties of a pathotype P-1 and a pathotype P-4 isolate of pea seed-borne mosaic virus. *Journal of General Virology* **77**, 1329-1333.
- Jones, R. A. C. (2000).** Determining 'threshold' levels for seed-borne virus infection in seed stocks. *Virus Research* **71**, 171-183.
- Jones, R. A. C. (2004).** Occurrence of virus infection in seed stocks and 3-year-old pastures of lucerne (*Medicago sativa*). *Australian Journal of Agricultural Research* **55**, 757-764.
- Jones, R. A. C. & Coutts, B. A. (1996).** Alfalfa mosaic and cucumber mosaic virus infection in chickpea and lentil: incidence and seed transmission. *Annals of Applied Biology* **129**, 491-506.
- Jones, R. A. C., Coutts, B. A. & Cheng, Y. (2003).** Yield limiting potential of necrotic and non-necrotic strains of Bean yellow mosaic virus in narrow-leaved lupin (*Lupinus angustifolius*). *Australian Journal of Agricultural Research* **54**, 849-859.
- Jones, R. A. C., Coutts, B. A., Mackie, A. E. & Dwyer, G. I. (2005).** Seed transmission of Wheat streak mosaic virus shown unequivocally in wheat. *Plant Disease* **89**, 1048-1050.
- Jones, R. A. C. & Cowling, W. A. (1995).** Resistance to Seed Transmission of Cucumber Mosaic-Virus in Narrow-Leaved Lupins (*Lupinus-Angustifolius*). *Australian Journal of Agricultural Research* **46**, 1339-1352.
- Jones, R. A. C. & Ferris, D. G. (2000).** Suppressing spread of alfalfa mosaic virus in grazed legume pasture swards using insecticides and admixture with grass, and effects of insecticides on numbers of aphids and three other pasture pests. *Annals of Applied Biology* **137**, 259-271.
- Jones, R. A. C. & Latham, L. J. (1996).** Natural resistance to cucumber mosaic virus in lupin species. *Annals of Applied Biology* **129**, 523-542.
- Jones, R. A. C. & Latham, L. J. (1997).** Natural resistance to cucumber mosaic virus in lupin species. *Annals of Applied Biology* **130**, 187-206.
- Jones, R. A. C. & Nicholas, D. A. (1992).** Studies on Alfalfa Mosaic-Virus Infection of Burr Medic (*Medicago-Polymorpha*) Swards - Seed-Borne Infection, Persistence, Spread and Effects on Productivity. *Australian Journal of Agricultural Research* **43**, 697-715.
- Jones, R. A. C. & Nicholas, D. A. (1998).** Impact of an insidious virus disease in the legume component on the species balance within self-regenerating annual pasture. *Journal of Agricultural Science* **131**, 155-170.
- Juretic, N. & Horvath, J. (1991).** Isolation of Cucumber Mosaic-Virus from *Lagenaria-Siceraria* Convar *Clavatina* in Yugoslavia. *Acta Phytopathologica Et Entomologica Hungarica* **26**, 365-370.
- Kaiser, W. J., Klein, R. E., Larsen, R. C. & Wyatt, S. D. (1993).** Chickpea Wilt Incited by Pea Streak Carlavirus. *Plant Disease* **77**, 922-926.
- Kashina, B. D., Mabagala, R. B. & Mpunami, A. A. (2003).** Biomolecular relationships among isolates of tomato yellow leaf curl Tanzania virus. *Phytoparasitica* **31**, 188-199.

- Kelly, J. D. (1997).** The review of varietal response to bean common mosaic potyvirus in *Phaseolus vulgaris*. *Plant Varieties and Seeds* **10**, 1-6.
- Kimble, K. A., Grogan, R. G., Greathead, A. S., Paulus, A. O. & House, J. K. (1975).** Development, application, and comparison of methods for indexing lettuce seed for mosaic virus in California. *Plant Disease Reporter* **59**, 461-464.
- Kitajima, E. W., Martins, C. R. F. & Santos, A. A. (1993).** Identification of a Rhabdovirus in Soursop (*Annona-Muricata*). *Plant Disease* **77**, 276-278.
- Koblet, H. (1993).** Viral Evolution and Insects as a Possible Virological Turning Table. *In Vitro Cellular & Developmental Biology-Animal* **29A**, 274-283.
- Kohnen, P. D., Dougherty, W. G. & Hampton, R. O. (1992).** Detection of Pea Seed-Borne Mosaic Potyvirus by Sequence Specific Enzymatic Amplification. *Journal of Virological Methods* **37**, 253-258.
- Kohnen, P. D., Johansen, I. E. & Hampton, R. O. (1995).** Characterization and Molecular-Detection of the P4 Pathotype of Pea Seed-Borne Mosaic Potyvirus. *Phytopathology* **85**, 789-793.
- Konate, G. & Barro, N. (1993).** Dissemination and Detection of Peanut Clump Virus in Groundnut Seed. *Annals of Applied Biology* **123**, 623-627.
- Konate, G. & Neya, B. J. (1996).** Rapid detection of cowpea aphid-borne mosaic virus in cowpea seeds. *Annals of Applied Biology* **129**, 261-266.
- Konate, G., Sarra, S. & Traore, O. (2001).** Rice yellow mottle virus is seed-borne but not seed transmitted in rice seeds. *European Journal of Plant Pathology* **107**, 361-364.
- Koning, G., TeKrony, D. M., Ghabrial, S. A. & Pfeiffer, T. W. (2002).** Soybean mosaic virus (SMV) and the SMV resistance gene (Rsv(1)): Influence on *Phomopsis* spp. seed infection in an aphid free environment. *Crop Science* **42**, 178-185.
- Koning, G., TeKrony, D. M., Pfeiffer, T. W. & Ghabrial, S. A. (2001).** Infection of soybean with Soybean mosaic virus increases susceptibility to *Phomopsis* spp. seed infection. *Crop Science* **41**, 1850-1856.
- Kosaka, Y. & Fukunishi, T. (1993).** Attenuated Isolates of Soybean Mosaic-Virus Derived at a Low-Temperature. *Plant Disease* **77**, 882-886.
- Krause-Sakate, R., Fakhfakh, H., Peypelut, M., Pavan, M. A., Zerbini, F. M., Marrakchi, M., Candresse, T. & Le Gall, O. (2004).** A naturally occurring recombinant isolate of Lettuce mosaic virus. *Archives of Virology* **149**, 191-197.
- Krause-Sakate, R., Le Gall, O., Fakhfakh, H., Peypelut, M., Marrakchi, M., Varveri, C., Pavan, M. A., Souche, S., Lot, H., Zerbini, F. M. & other authors (2002).** Molecular and biological characterization of Lettuce mosaic virus (LMV) isolates reveals a distinct and widespread type of resistance-breaking isolate: LMV-Most. *Phytopathology* **92**, 563-572.
- Krell, R. K., Pedigo, L. P., Hill, J. H. & Rice, M. E. (2003).** Potential primary inoculum sources of Bean pod mottle virus in Iowa. *Plant Disease* **87**, 1416-1422.
- Kritzman, A., Lampel, M., Raccach, B. & Gera, A. (2001).** Distribution and transmission of Iris yellow spot virus. *Plant Disease* **85**, 838-842.
- Kubelkova, D. & Spak, J. (1998).** Transmission of raspberry bushy dwarf virus by seed of *Chenopodium quinoa*. *Acta Virologica* **42**, 195-196.
- Langerak, C. J., vandenBulk, R. W. & Franken, A. (1996).** Indexing seeds for pathogens. In *Advances in Botanical Research Incorporating Advances in Plant Pathology, Vol 23*, pp. 171-215.
- Lartey, R., Ghoshroy, S., Ho, J. & Citovsky, V. (1997).** Movement and subcellular localization of a tobamovirus in *Arabidopsis*. *Plant Journal* **12**, 537-545.
- Latham, J. J., Jones, R. A. C. & Coutts, B. A. (2004).** Yield losses caused by virus infection in four combinations of non-persistently aphid-transmitted virus and cool-season crop legume. *Australian Journal of Experimental Agriculture* **44**, 57-63.
- Latham, L. J. & Jones, R. A. C. (2001).** Alfalfa mosaic and pea seed-borne mosaic viruses in cool season crop, annual pasture, and forage legumes: susceptibility, sensitivity, and seed transmission. *Australian Journal of Agricultural Research* **52**, 771-790.
- Latham, L. J. & Jones, R. A. C. (2001).** Incidence of virus infection in experimental plots, commercial crops, and

- seed stocks of cool season crop legumes. *Australian Journal of Agricultural Research* **52**, 397-413.
- Latham, L. J. & Jones, R. A. C. (2004).** Carrot virus Y: symptoms, losses, incidence, epidemiology and control. *Virus Research* **100**, 89-99.
- Latham, L. J., Jones, R. A. C. & McKirdy, J. (2001).** Cucumber mosaic cucumovirus infection of cool-season crop, annual pasture, and forage legumes: susceptibility, sensitivity, and seed transmission. *Australian Journal of Agricultural Research* **52**, 683-697.
- Lebas, B. S. M., Clover, G. R. G., Ochoa-Corona, F. M., Elliott, D. R., Tang, Z. & Alexander, B. J. R. (2005).** Distribution of Potato spindle tuber viroid in New Zealand glasshouse crops of capsicum and tomato. *Australasian Plant Pathology* **34**, 129-133.
- Lebeda, A., Jurik, M., Matisova, J. & Mieslerova, B. (1999).** Susceptibility of *Pisum* spp. germplasm to legume viruses and virus transmission by seeds. *Plant Varieties and Seeds* **12**, 43-51.
- Ligat, J. S. & Randles, J. W. (1993).** An Eclipse of Pea Seed-Borne Mosaic-Virus in Vegetative Tissue of Pea Following Repeated Transmission through the Seed. *Annals of Applied Biology* **122**, 39-47.
- Lockhart, B. E., Menke, J., Dahal, G. & Olszewski, N. E. (2000).** Characterization and genomic analysis of tobacco vein clearing virus, a plant pararetrovirus that is transmitted vertically and related to sequences integrated in the host genome. *Journal of General Virology* **81**, 1579-1585.
- Lovisolo, O. & Kitajima, E. W. (1992).** Nomenclature and Relationships of Some Brazilian Leguminous Potyviruses Related to Bean Common Mosaic and or Passion-Fruit Woodiness Viruses. *Archives of Virology*, 307-310.
- Mabrouk, O. & Mansour, A. N. (1998).** Effect of pea seed borne mosaic and broad bean stain viruses on lentil growth and yield in Jordan. *Scientia Horticulturae* **73**, 175-178.
- Mahgoub, H. A., WipfScheibel, C., Delecolle, B., Pitrat, M., Dafalla, G. & Lecoq, H. (1997).** Melon rugose mosaic virus: Characterization of an isolate from Sudan and seed transmission in melon. *Plant Disease* **81**, 656-660.
- Mahir, M. A. M., Fortass, M. & Bos, L. (1992).** Identification and Properties of a Deviant Isolate of the Broad Bean Yellow Band Serotype of Pea Early-Browning Virus from Faba Bean (*Vicia-Faba*) in Algeria. *Netherlands Journal of Plant Pathology* **98**, 237-252.
- Makkouk, K. M., Kumari, S. G. & Bos, L. (1993).** Pea Seed-Borne Mosaic-Virus - Occurrence in Faba Bean (*Vicia-Faba*) and Lentil (*Lens-Culinaris*) in West Asia and North-Africa, and Further Information on Host-Range, Transmission Characteristics, and Purification. *Netherlands Journal of Plant Pathology* **99**, 115-124.
- Makkouk, K. M., Kumari, S. G. & Shehadeh, A. (1992).** Seed Transmission of Pea Seed-Borne Mosaic-Virus in *Lathyrus* and *Vicia* Forage Legume Species. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection* **99**, 561-563.
- Maliogka, V. I., Dovas, C. I., Lesemann, D. E., Winter, S. & Katis, N. I. (2006).** Molecular identification, reverse transcription-polymerase chain reaction detection, host reactions, and specific cytopathology of Artichoke yellow ringspot virus infecting onion crops. *Phytopathology* **96**, 622-629.
- Marrou, J. (1969).** Confirmation de la non transmission du virus de la mosaïque de la laitue par les graines chez la variété Gallega de Invierno. *Annales de Phytopathologie* **1**, 213-218.
- Masmoudi, K., Duby, C., Suhas, M., Guo, J. Q., Guyot, L., Olivier, V., Taylor, J. & Maury, Y. (1994).** Quality-Control of Pea Seed for Pea Seed-Borne Mosaic-Virus. *Seed Science and Technology* **22**, 407-414.
- Masmoudi, K., Suhas, M., Khetarpal, R. K. & Maury, Y. (1994).** Specific Serological Detection of the Transmissible Virus in Pea Seed Infected by Pea Seed-Borne Mosaic-Virus. *Phytopathology* **84**, 756-760.
- Maule, A. J. & Wang, D. W. (1996).** Seed transmission of plant viruses: A lesson in biological complexity. *Trends in Microbiology* **4**, 153-158.
- McKirdy, S. J. & Jones, R. A. C. (1994).** Infection of Alternative Hosts Associated with Annual Medics (*Medicago* Spp) by Alfalfa Mosaic-Virus and Its Persistence between Growing Seasons. *Australian Journal of Agricultural Research* **45**, 1413-1426.
- McKirdy, S. J. & Jones, R. A. C. (1994).** Infection of Alternative Hosts Associated with Narrow-Leafed Lupin (*Lupinus-Angustifolius*) and Subterranean Clover (*Trifolium-Subterraneum*) by Cucumber Mosaic-Virus and Its Persistence between Growing Seasons. *Australian Journal of Agricultural Research* **45**, 1035-1049.
- McKirdy, S. J. & Jones, R. A. C. (1995).** Bean Yellow Mosaic Potyvirus Infection of Alternative Hosts Associated

- with Subterranean Clover (*Trifolium-Subterraneum*) and Narrow-Leafed Lupins (*Lupinus-Angustifolius*) - Field Screening-Procedure, Relative Susceptibility/Resistance Rankings, Seed Transmission and Persistence between Growing Seasons. *Australian Journal of Agricultural Research* **46**, 135-152.
- McKirby, S. J. & Jones, R. A. C. (1995).** Occurrence of Alfalfa Mosaic and Subterranean Clover Red Leaf Viruses in Legume Pastures in Western-Australia. *Australian Journal of Agricultural Research* **46**, 763-774.
- McKirby, S. J., Jones, R. A. C., Latham, L. J. & Coutts, B. A. (2000).** Bean yellow mosaic potyvirus infection of alternative annual pasture, forage, and cool season crop legumes: susceptibility, sensitivity, and seed transmission. *Australian Journal of Agricultural Research* **51**, 325-345.
- Meissner, P. E., Resende, R. D., Lima, M. I. & Kitajima, E. W. (2002).** Patchouli virus X, a new potyvirus from *Pogostemon clabin*. *Annals of Applied Biology* **141**, 267-274.
- Mink, G. I. (1993).** Pollen-Transmitted and Seed-Transmitted Viruses and Viroids. *Annual Review of Phytopathology* **31**, 375-402.
- Mink, G. I. & Silbernagel, M. J. (1992).** Serological and Biological Relationships among Viruses in the Bean Common Mosaic-Virus Subgroup. *Archives of Virology*, 397-406.
- Minoiu, N., Maxim, A., Vladianu, D., Platon, I. & Balaci, R. (1998).** New results concerning the plum pox virus epidemiology and resistance of plum cultivars, hybrids and rootstocks. *Acta Virologica* **42**, 244-247.
- Mishra, A., Gohel, V. R., Valand, G. B., Patel, J. G. & Shukla, D. D. (1993).** Peanut Stripe Virus-Disease of Groundnut - a Review. *International Journal of Pest Management* **39**, 210-215.
- Morales, F. J., Castano, M., Velasco, A. C. & Arroyave, J. (1994).** Detection of a Potyvirus Related to Guineagrass Mosaic-Virus Infecting *Brachiaria* Spp in South-America. *Plant Disease* **78**, 425-428.
- Ndiaye, M., Bashir, M., Keller, K. E. & Hampton, R. O. (1993).** Cowpea Viruses in Senegal, West-Africa - Identification, Distribution, Seed Transmission, and Sources of Genetic-Resistance. *Plant Disease* **77**, 999-1003.
- Nemchinov, L. & Hadidi, A. (1996).** Characterization of the sour cherry strain of plum pox virus. *Phytopathology* **86**, 575-580.
- Nguessan, K. P., Fargette, D., Fauquet, C. & Thouvenel, J. C. (1992).** Aspects of the Epidemiology of Okra Leaf Curl Virus in Cote-Divoire. *Tropical Pest Management* **38**, 122-126.
- Njeru, R., Ferris, D. G., Jones, R. A. C. & Jones, M. G. K. (1997).** Studies on seed transmission of subterranean clover mottle virus and its detection in clover seed by ELISA and RT-PCR. *Australian Journal of Agricultural Research* **48**, 343-350.
- Ogliari, J. B. & Castano, M. (1992).** Identification of Resistant Germplasm to the Bean Common Mosaic-Virus - Bcmv. *Pesquisa Agropecuaria Brasileira* **27**, 1043-1047.
- Osaki, H., Kudo, A. & Ohtsu, Y. (1998).** Nucleotide sequence of seed- and pollen-transmitted double-stranded RNA, which encodes a putative RNA-dependent RNA polymerase, detected from Japanese pear. *Bioscience Biotechnology and Biochemistry* **62**, 2101-2106.
- Owolabi, A. T. & Proll, E. (2001).** A mosaic disease of *Senna hirsuta* induced by a potyvirus in Nigeria. *Acta Virologica* **45**, 73-79.
- Owolabi, T. A., Taiwo, M. A., Thottappilly, G. A., Shoyinka, S. A., Proll, E. & Rabenstein, F. (1998).** Properties of a virus causing mosaic and leaf curl disease of *Celosia argentea* L in Nigeria. *Acta Virologica* **42**, 133-139.
- Pacumbaba, R. P. (1995).** Seed Transmission of Soybean Mosaic-Virus in Mottled and Nonmottled Soybean Seeds. *Plant Disease* **79**, 193-195.
- Pasquini, G., Simeone, A. M., Conte, L. & Barba, M. (1998).** Detection of plum pox virus in apricot seeds. *Acta Virologica* **42**, 260-263.
- Pathipanawat, W., Jones, R. A. C. & Sivasithamparam, K. (1995).** Studies on Seed and Pollen Transmission of Alfalfa Mosaic, Cucumber Mosaic and Bean Yellow Mosaic-Viruses in Cultivars and Accessions of Annual Medicago Species. *Australian Journal of Agricultural Research* **46**, 153-165.
- Pathipanawat, W., Jones, R. A. C. & Sivasithamparam, K. (1997).** Factors influencing transmission of alfalfa mosaic virus through seed of annual medics (*Medicago* spp.) and the genetic control of seed transmission rate. *Australian Journal of Agricultural Research* **48**, 989-997.
- Paximadis, M., Dusterwald, G., Duyver, L. & Rey, M. E. C. (1997).** Preliminary investigation of the causal agents of

- a disease causing leaf curl of tobacco in South Africa. *Plant Pathology* **46**, 282-290.
- Paximadis, M. & Rey, M. E. C. (1997).** Aetiology of tobacco leaf curl in southern Africa. *Annals of Applied Biology* **131**, 449-457.
- Peypelut, M., Krause-Sakate, R., Guiraud, T., Pavan, M. A., Candresse, T., Zerbini, F. M. & Le Gall, O. (2004).** Specific detection of Lettuce mosaic virus isolates belonging to the "Most" type. *Journal of Virological Methods* **121**, 119-124.
- Pfeilstetter, E., Kunze, L. & Zinkernagel, V. (1996).** Viral twig necrosis of sweet cherry. Modes of transmission and spread of petunia asteroid mosaic virus (PeAMV). *Annals of Applied Biology* **128**, 285-301.
- Pink, D. A. C., Lot, H. & Johnson, R. (1992).** Novel Pathotypes of Lettuce Mosaic-Virus - Breakdown of a Durable Resistance. *Euphytica* **63**, 169-174.
- Pio-Ribeiro, G., Pappu, S. S., Pappu, H. R., Andrade, G. P. & Reddy, D. V. R. (2000).** Occurrence of Cowpea aphid-borne mosaic virus in peanut in Brazil. *Plant Disease* **84**, 760-766.
- Polston, J. E., Hiebert, E., McGovern, R. J., Stansly, P. A. & Schuster, D. J. (1993).** Host-Range of Tomato Mottle Virus, a New Geminivirus Infecting Tomato in Florida. *Plant Disease* **77**, 1181-1184.
- Porta, C., Spall, V. E., Findlay, K. C., Gergerich, R. C., Farrance, C. E. & Lomonossoff, G. P. (2003).** Cowpea mosaic virus-based chimaeras - Effects of inserted peptides on the phenotype, host range, and transmissibility of the modified viruses. *Virology* **310**, 50-63.
- Power, A. G. (1992).** Patterns of Virulence and Benevolence in Insect-Borne Pathogens of Plants. *Critical Reviews in Plant Sciences* **11**, 351-372.
- Prohens, J., Soler, S. & Nuez, F. (1999).** The effects of thermotherapy and sodium hypochlorite treatments on pepino seed germination, a crucial step in breeding programmes. *Annals of Applied Biology* **134**, 299-305.
- Rajamaki, M. L. & Valkonen, J. P. T. (2004).** Detection of a natural point mutation in Potato virus A that overcomes resistance to vascular movement in *Nicandra physaloides*, and studies on seed-transmissibility of the mutant virus. *Annals of Applied Biology* **144**, 77-86.
- Rao, R., Reddy, A. S., Reddy, S. V., Thirumala-Devi, K., Chander, S., Rao, S. C., Kumar, V. M., Subramaniam, K., Reddy, T. Y., Nigam, S. N. & other authors (2003).** The host range of Tobacco streak virus in India and transmission by thrips. *Annals of Applied Biology* **142**, 365-368.
- Reddy, A. S., Hobbs, H. A., Delfosse, P., Murthy, A. K. & Reddy, D. V. R. (1998).** Seed transmission of Indian peanut clump virus (IPCV) in peanut and millets. *Plant Disease* **82**, 343-346.
- Ren, Q., Pfeiffer, T. W. & Ghabrial, S. A. (1997).** Soybean mosaic virus incidence level and infection time: Interaction effects on soybean. *Crop Science* **37**, 1706-1711.
- Ren, Q., Pfeiffer, T. W. & Ghabrial, S. A. (1997).** Soybean mosaic virus resistance improves productivity of double-cropped soybean. *Crop Science* **37**, 1712-1718.
- Revers, F., Le Gall, O., Candresse, T. & Maule, A. J. (1999).** New advances in understanding the molecular biology of plant/potyvirus interactions. *Molecular Plant-Microbe Interactions* **12**, 367-376.
- Riedle-Bauer, M., Suarez, B. & Reinprecht, H. J. (2002).** Seed transmission and natural reservoirs of Zucchini yellow mosaic virus in *Cucurbita pepo* var. *styriaca*. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection* **109**, 200-206.
- Roberts, I. M., Wang, D., Thomas, C. L. & Maule, A. J. (2003).** Pea seed-borne mosaic virus seed transmission exploits novel symplastic pathways to infect the pea embryo and is, in part, dependent upon chance. *Protoplasma* **222**, 31-43.
- Robinson, R. W., Provvidenti, R. & Shail, J. W. (1993).** Tests for Seed-Borne Transmission of Zucchini Yellow Mosaic-Virus. *Hortscience* **28**, 694-696.
- Rossel, H. W. & Thottappilly, G. (1993).** Seed Transmission of Viruses in Soybean (*Glycine-Max*) in Relation to Sanitation and International Transfer of Improved Germplasm. *Seed Science and Technology* **21**, 25-30.
- RubiesAutonell, C. & Turina, M. (1997).** Seed transmission of Hibiscus latent ringspot virus (HLRSV). *Plant Disease* **81**, 1082-1084.
- Ryder, E. J. (1964).** Transmission of common lettuce mosaic through the gametes of the lettuce plant. *Plant Disease Reporter* **48**, 522-523.

- Ryder, E. J. (1973).** Seed transmission of lettuce mosaic virus in mosaic resistant lettuce. *Journal of the American Society for Horticultural Science* **98**, 610-614.
- Ryder, E. J. (1985).** Use of early flowering genes to reduce generation time in backcrossing, with specific application to lettuce breeding. *Journal of the American Society for Horticultural Science* **110**, 570-573.
- Ryder, E. J. (1996).** Ten lettuce genetic stocks with early flowering genes Ef-1ef-1 and Ef-2ef-2. *Hortscience* **31**, 473-475.
- Ryder, E. J. & Johnson, A. S. (1974).** A method for indexing lettuce seeds for seedborne lettuce mosaic virus by airstream separation of light from heavy seeds. *Plant Disease Reporter* **58**, 1037-1039.
- Ryder, E. J. & Milligan, D. C. (2005).** Additional genes controlling flowering time in *Lactuca sativa* and *L. serriola*. *Journal of the American Society for Horticultural Science* **130**, 448-453.
- Salomone, A. & Roggero, P. (2002).** Host range, seed transmission and detection by ELISA and lateral flow of an Italian isolate of Pepino mosaic virus. *Journal of Plant Pathology* **84**, 65-68.
- Saponari, M., Savino, V. & Martelli, G. P. (2002).** Seed transmission in olive of two olive-infecting viruses. *Journal of Plant Pathology* **84**, 167-167.
- Satyanarayana, T., Sreenivasulu, P., Ratna, A. S., Reddy, D. V. R. & Nayudu, M. V. (1994).** Identification of a Strain of Peanut Chlorotic Streak Virus Causing Chlorotic Vein Banding Disease of Groundnut in India. *Journal of Phytopathology-Phytopathologische Zeitschrift* **140**, 326-334.
- Sengooba, T. N., Spence, N. J., Walkey, D. G. A., Allen, D. J. & Lana, A. F. (1997).** The occurrence of bean common mosaic necrosis virus in wild and forage legumes in Uganda. *Plant Pathology* **46**, 95-103.
- Sinclair, J. B. (1993).** Control of Seed-Borne Pathogens and Diseases of Soybean Seeds and Seedlings. *Pesticide Science* **37**, 15-19.
- Spak, J., Kubelkova, D. & Hnilicka, E. (1993).** Seed Transmission of Turnip Yellow Mosaic-Virus in Winter Turnip and Winter Oilseed Rapeseeds. *Annals of Applied Biology* **123**, 33-35.
- Spence, N. J. & Walkey, D. G. A. (1995).** Variation for Pathogenicity among Isolates of Bean Common Mosaic-Virus in Africa and a Reinterpretation of the Genetic-Relationship between Cultivars of *Phaseolus-Vulgaris* and Pathotypes of Bcmv. *Plant Pathology* **44**, 527-546.
- Spiegel, S., Martin, R. R., Leggett, F., Terborg, M. & Postman, J. (1993).** Characterization and Geographical-Distribution of a New Iarivirus from *Fragaria-Chiloensis*. *Phytopathology* **83**, 991-995.
- Sreenivasulu, P., Demski, J. W., Purcifull, D. E., Christie, R. G. & Lovell, G. R. (1994).** A Potyvirus Causing Mosaic Disease of Sesame (*Sesamum-Indicum*). *Plant Disease* **78**, 95-99.
- Subr, Z., Kudela, O. & Gallo, J. (1996).** Alfalfa mosaic virus strains T6 and 425 differ in their capsid protein. *Acta Virologica* **40**, 147-149.
- Tan, H. N. P. & Wong, S. M. (1993).** Some Properties of Singapore Ageratum Yellow Vein Virus (Sayvv). *Journal of Phytopathology-Phytopathologische Zeitschrift* **139**, 165-176.
- Terzakis, M., Avgelis, A. D., Jones, A. T. & Katis, N. I. (2002).** Artichoke yellow ringspot virus infecting vetch (*Vicia sativa*) in Greece. *Phytoparasitica* **30**, 195-197.
- Thackray, D. J., Diggle, A. J., Berlandier, F. A. & Jones, R. A. C. (2004).** Forecasting aphid outbreaks and epidemics of Cucumber mosaic virus in lupin crops in a Mediterranean-type environment. *Virus Research* **100**, 67-82.
- Thackray, D. J., Jones, R. A. C., Bwye, A. M. & Coutts, B. A. (2000).** Further studies on the effects of insecticides on aphid vector numbers and spread of cucumber mosaic virus in narrow-leafed lupins (*Lupinus angustifolius*). *Crop Protection* **19**, 121-139.
- Thakur, M. P., Verma, K. P. & Agrawal, K. C. (1998).** Characterization and management of bud blight disease of soybean in India. *International Journal of Pest Management* **44**, 87-92.
- Thaler, I. & Gailhofer, M. (1996).** *Gentiana asclepiadea* L infected with a rhabdovirus. *Phyton-Annales Rei Botanicae* **36**, 209-220.
- Thomidis, T. & Karajiannis, I. (2003).** Using ELISA and PCR to test the potential for spread of plum pox virus by seeds of different stone fruit cultivars. *New Zealand Journal of Crop and Horticultural Science* **31**, 69-72.
- Tobias, I. & Palkovics, L. (2003).** Characterization of Hungarian isolates of zucchini yellow mosaic virus (ZYMV,

- potyvirus) transmitted by seeds of Cucurbita pepo var Styriaca. *Pest Management Science* **59**, 493-497.
- Torrance, L., Jones, A. T. & Duncan, G. H. (1994).** Properties of Cocksfoot Streak and Cocksfoot Cryptic, 2 Viruses Infecting Cocksfoot (Dactylis-Glomerata) in Scotland. *Annals of Applied Biology* **124**, 267-281.
- Torrance, L., Jones, A. T. & Duncan, G. H. (1994).** Properties of Cocksfoot Streak and Cocksfoot Cryptic, 2 Viruses Infecting Cocksfoot (Dactylis-Glomerata) in Scotland (Reprinted from Vol 124, Pg 267-281, 1994). *Annals of Applied Biology* **124**, 579-593.
- Tu, J. C. (1992).** Symptom Severity, Yield, Seed Mottling and Seed Transmission of Soybean Mosaic-Virus in Susceptible and Resistant Soybean - the Influence of Infection Stage and Growth Temperature. *Journal of Phytopathology-Phytopathologische Zeitschrift* **135**, 28-36.
- Valkonen, J. P. T., Pehu, E. & Watanabe, K. (1992).** Symptom Expression and Seed Transmission of Alfalfa Mosaic-Virus and Potato Yellowing Virus (Sb-22) in Solanum-Brevidentis and S-Etuberosum. *Potato Research* **35**, 403-410.
- Varma, A., Krishnareddy, M. & Malathi, V. G. (1992).** Influence of the Amount of Blackgram Mottle Virus in Different Tissues on Transmission through the Seeds of Vigna-Mungo. *Plant Pathology* **41**, 274-281.
- Vonwechmar, M. B., Chauhan, R. & Knox, E. (1992).** Fungal Transmission of a Potyvirus - Uredospores of Puccinia-Sorghii Transmit Maize-Dwarf Mosaic-Virus. *Archives of Virology*, 239-250.
- Wah, Y. & Symons, R. H. (1997).** A high sensitivity RT-PCR assay for the diagnosis of grapevine viroids in field and tissue culture samples. *Journal of Virological Methods* **63**, 57-69.
- Wah, Y. & Symons, R. H. (1999).** Transmission of viroids via grape seeds. *Journal of Phytopathology-Phytopathologische Zeitschrift* **147**, 285-291.
- Walkey, D. G. A. (1992).** Zucchini Yellow Mosaic-Virus - Control by Mild Strain Protection. *Phytoparasitica* **20**, S99-S103.
- Walter, M. H., Kaiser, W. J., Klein, R. E. & Wyatt, S. D. (1992).** Association between Tobacco Streak Ilarvirus Seed Transmission and Anther Tissue Infection in Bean. *Phytopathology* **82**, 412-415.
- Walter, M. H., Wyatt, S. D. & Kaiser, W. J. (1995).** Comparison of the Rnas and Some Physicochemical Properties of the Seed-Transmitted Tobacco Streak Virus Isolate Mel-40 and the Infrequently Seed-Transmitted Isolate Mel-F. *Phytopathology* **85**, 1394-1399.
- Wang, D., Woods, R. D., Cockbain, A. J., Maule, A. J. & Biddle, A. J. (1993).** The Susceptibility of Pea Cultivars to Pea Seed-Borne Mosaic-Virus Infection and Virus Seed Transmission in the UK. *Plant Pathology* **42**, 42-47.
- Wang, D. W., MacFarlane, S. A. & Maule, A. J. (1997).** Viral determinants of pea early browning virus seed transmission in pea. *Virology* **234**, 112-117.
- Wang, D. W. & Maule, A. J. (1992).** Early Embryo Invasion as a Determinant in Pea of the Seed Transmission of Pea Seed-Borne Mosaic-Virus. *Journal of General Virology* **73**, 1615-1620.
- Wang, D. W. & Maule, A. J. (1994).** A Model for Seed Transmission of a Plant-Virus - Genetic and Structural-Analyses of Pea Embryo Invasion by Pea Seed-Borne Mosaic-Virus. *Plant Cell* **6**, 777-787.
- Wang, D. W. & Maule, A. J. (1997).** Contrasting patterns in the spread of two seed-borne viruses in pea embryos. *Plant Journal* **11**, 1333-1340.
- Wesley, S. V., Miller, J. S., Devi, P. S., Delfosse, P., Naidu, R. A., Mayo, M. A., Reddy, D. V. R. & Jana, M. K. (1996).** Sensitive broad-spectrum detection of Indian peanut clump virus by nonradioactive nucleic acid probes. *Phytopathology* **86**, 1234-1237.
- Wisler, G. C. & Duffus, J. E. (2000).** A century of plant virus management in the Salinas Valley of California, 'East of Eden'. *Virus Research* **71**, 161-169.
- Wong, S. M., Chng, C. G., Chng, C. Y. & Chong, P. L. (1994).** Characterization of an Isolate of Zucchini Yellow Mosaic-Virus from Cucumber in Singapore. *Journal of Phytopathology-Phytopathologische Zeitschrift* **141**, 355-368.
- Wong, S. M., Swanson, M. M. & Harrison, B. D. (1993).** A Geminivirus Causing Vein Yellowing of Ageratum-Conyzoides in Singapore. *Plant Pathology* **42**, 137-139.
- Wroth, J. M. & Jones, R. A. C. (1992).** Subterranean Clover Mottle Sobemovirus - Its Host-Range, Resistance in Subterranean Clover and Transmission through Seed and by Grazing Animals. *Annals of Applied Biology* **121**, 329-343.

- Wroth, J. M. & Jones, R. A. C. (1992).** Subterranean Clover Mottle Virus-Infection of Subterranean Clover - Widespread Occurrence in Pastures and Effects on Productivity. *Australian Journal of Agricultural Research* **43**, 1597-1608.
- Yacoub, A., Lankes, C. & Hamacher, J. (2001).** Alternative means of transmission for Prunus necrotic ringspot virus and Prune dwarf virus. *Gartenbauwissenschaft* **66**, 9-15.
- Yang, Y. M., Kim, K. S. & Anderson, E. J. (1997).** Seed transmission of cucumber mosaic virus in spinach. *Phytopathology* **87**, 924-931.
- Zadeh, A. H. & Foster, G. D. (2004).** Transgenic resistance to Tobacco ringspot virus. *Acta Virologica* **48**, 145-152.
- Zettler, F. W., Elliott, M. S., Purcifull, D. E., Mink, G. I., Gorbet, D. W. & Knauft, D. A. (1993).** Production of Peanut Seed Free of Peanut Stripe and Peanut Mottle Viruses in Florida. *Plant Disease* **77**, 747-749.
- Zhang, J. F., Liu, K. F., Wen, Y. X. & Wang, D. W. (1999).** Desiccation alters the stability and distribution of pea seed-borne mosaic virus in pea (*Pisum sativum*) cotyledon cells. *Acta Botanica Sinica* **41**, 825-+.
- Zimmer, R. C. & Lamb, R. J. (1993).** Amplification and Spread of Pea Seed-Borne Mosaic-Virus in Field-Grown Peas. *Canadian Journal of Plant Pathology-Revue Canadienne De Phytopathologie* **15**, 17-22.