

Resistance to viruses in Sugarbeet

The ResistVir consortium

September 2006

- o O o -

- Adams, M. J. (1991).** Transmission of plant viruses by fungi. *Annals of Applied Biology* **118**, 479-492.
- Agranovsky, A. A., Folimonov, A. S., Folimonova, S. Y., Morozov, S. Y., Schiemann, J., Lesemann, D. & Atabekov, J. G. (1998).** Beet yellows closterovirus HSP70-like protein mediates the cell-to-cell movement of a potexvirus transport-deficient mutant and a hordeivirus-based chimeric virus. *Journal of General Virology* **79**, 889-895.
- Amiri, R., Moghaddam, M., Mesbah, M., Yaghoub Sadeghian, S., Ghannadha, M. R. & Izadpanah, K. (2003).** The inheritance of resistance to beet necrotic yellow vein virus (BNYVV) in *B. vulgaris* subsp. *maritima*, accession WB42: Statistical comparisons with Holly-1-4. *Euphytica* **132**, 363-373.
- Asher, M. J. C., Chwarszczynska, D. M. & Leaman, M. (2002).** The evaluation of rhizomania resistant sugar beet for the UK. *Annals of Applied Biology* **141**, 101-109.
- Asher, M. J. C., Luterbacher, M. C. & Frese, L. (2001).** Wild Beta species as a source of resistance to sugar-beet pests and diseases. *International Sugar Journal* **103**, 447-+.
- Asher, M. M.-G., E.S.; Chwarszczynska, D.M. (1997).** Rhizomania the role of vector and virus resistance. *Proceedings of the 60th IIRB Congress, Cambridge (UK)*, 389-393.
- Barr, K. J., Asher, M. J. C. & Lewis, B. G. (1995).** Resistance to Polymyxa-Betae in Wild Beta-Species. *Plant Pathology* **44**, 301-307.
- Bartsch, D. & PohlOrf, M. (1996).** Ecological aspects of transgenic sugar beet: Transfer and expression herbicide resistance in hybrids with wild beets. *Euphytica* **91**, 55-58.
- Bartsch, D., Schmidt, M., PohlOrf, M., Haag, C. & Schuphan, I. (1996).** Competitiveness of transgenic sugar beet resistant to beet necrotic yellow vein virus and potential impact on wild beet populations. *Molecular Ecology* **5**, 199-205.
- Barzen, E., Mechelke, W., Ritter, E., Schultekappert, E. & Salamini, F. (1995).** An Extended Map of the Sugar-Beet Genome Containing Rflp and Rapd Loci. *Theoretical and Applied Genetics* **90**, 189-193.
- Barzen, E., Mechelke, W., Ritter, E., Seitzer, J. F. & Salamini, F. (1992).** Rflp Markers for Sugar-Beet Breeding - Chromosomal Linkage Maps and Location of Major Genes for Rhizomania Resistance, Monogermity and Hypocotyl Color. *Plant Journal* **2**, 601-611.
- Barzen, E., Stahl, R., Fuchs, E., Borchardt, D. C. & Salamini, F. (1997).** Development of coupling-repulsion-phase SCAR markers diagnostic for the sugar beet Rr1 allele conferring resistance to rhizomania. *Molecular Breeding* **3**, 231-238.
- Becka, D. & Jozefyova, L. (2002).** New possibilities for generic modifications in sugar beet breeding. *Listy Cukrovarnicke a Reparske* **118**, 66-69.
- Beemster, A. B. R. & Deheij, A. (1987).** A Method for Detecting Polymyxa Betae and Beet Necrotic Yellow Vein Virus in Soil Using Sugar-Beet as a Bait Plant. *Netherlands Journal of Plant Pathology* **93**, 91-93.
- Berg, J. M. (1990).** Zinc fingers and other metal-binding domain elements for interactions between macromolecules. *J Biol Chem* **265**, 6513-6516.
- Biancardi, E., Lewellen, R. T., De Biaggi, M., Erichsen, A. W. & Stevanato, P. (2002).** The origin of rhizomania resistance in sugar beet. *Euphytica* **127**, 383-397.
- Bleykasten, C., Gilmer, D., Guilley, H., Richards, K.E., Jonard, G. (1996).** Beet necrotic yellow vein virus 42kDa triple gene block protein binds nucleic acid *in vitro*. *Journal of General Virology* **77**, 889-897.
- Bleykasten-Grosshans, C., Guilley, H., Bouzoubaa, S., Richards, K., Jonard, G. (1997).** Independent expression of the first two triple gene block proteins of *Beet necrotic yellow vein virus* complements defective in the corresponding gene but expression of the third protein inhibits viral cell-to-cell movement. *Molecular Plant-Microbe Interactions* **2**.

- Brault, V., Bergdoll, M., Mutterer, J., Prasad, V., Pfeffer, S., Erdinger, M., Richards, K. E. & Ziegler-Graff, V. (2003).** Effects of point mutations in the major capsid protein of beet western yellows virus on capsid formation, virus accumulation, and aphid transmission. *Journal of Virology* **77**, 3247-3256.
- Brault, V., Pfeffer, S., Erdinger, M., Mutterer, J. & Ziegler-Graff, V. (2002).** Virus-induced gene silencing in transgenic plants expressing the minor capsid protein of beet western yellows virus. *Molecular Plant-Microbe Interactions* **15**, 799-807.
- Braun, C. J., Jilka, J. M., Hemenway, C. L. & Turner, N. E. (1991).** Interactions between plants, pathogens and insects: Possibilities for engineering resistance. *Current Opinion in Biotechnology* **2**, 193-198.
- Briddon, R. W., Stenger, D. C., Bedford, I. D., Stanley, J., Izadpanah, K. & Markham, P. G. (1998).** Comparison of a beet curly top virus isolate originating from the old world with those from the new world. *European Journal of Plant Pathology* **104**, 77-84.
- Briddon, R. W., Watts, J., Markham, P. G. & Stanley, J. (1989).** The Coat Protein of Beet Curly Top Virus Is Essential for Infectivity. *Virology* **172**, 628-633.
- Briest, E., Meyer, U. & Kegler, H. (1988).** Assessment of Sugar-Beet Resistance to Virus Yellows on the Basis of Symptoms. *Archiv Fur Phytopathologie Und Pflanzenschutz-Archives of Phytopathology and Plant Protection* **24**, 459-466.
- Briest, E., Meyer, U. & Kegler, H. (1989).** Sugar-Beet Resistance to Yellowing Viruses Assessed by Virus Concentration. *Archiv Fur Phytopathologie Und Pflanzenschutz-Archives of Phytopathology and Plant Protection* **25**, 35-40.
- Brown, S., Jarvis, P. & Prince, J. (2004).** Limiting the spread of Rhizomania. *British Sugar Beet Review* **72**, 2-6.
- Buchting, A. J. (1995).** Experiences from Release Experiments with Rhizomania Resistant Sugar-Beet. *Zuckerindustrie* **120**, 138-142.
- Burcky, K. & Beiss, U. (1986).** Damage on Sugar-Beet Caused by Beet Necrotic Yellow Vein Virus (Bnyvv) Depending on the Degree of Soil Infestation .2. Nutrient Content and Juice Quality. *Zuckerindustrie* **111**, 1111-1118.
- Burcky, K. & Buttner, G. (1987).** Attempts for Selection of Rhizomania-Tolerant Sugar-Beets During Early Plant Development .2. Nutrient Content in Leaves. *Zuckerindustrie* **112**, 142-145.
- Burcky, K. & Buttner, G. (1988).** Attempts to Select Rhizomania-Tolerant Sugar-Beets During Early Plant Development .3. Bnyvv Concentration in Main and Lateral Roots. *Zuckerindustrie* **113**, 497-500.
- Burcky, K. & Buttner, G. (1989).** Rhizomania-Tolerant Sugar-Beet Varieties .1. Variation in Weight and Quality Parameters of Single Beets of Different Varieties Grown on Bnyvv-Infested and Uninfested Fields. *Zuckerindustrie* **114**, 142-148.
- Burcky, K. & Buttner, G. (1989).** Rhizomania-Tolerant Sugar-Beet Varieties .2. Bnyvv Concentration in Young Sugar-Beet Plants and Yield Performance in Fields Infested with Bnyvv. *Zuckerindustrie* **114**, 225-228.
- Burcky, K. & Buttner, G. (1991).** Bnyvv Concentration in the Tap Roots of Sugar-Beet Varieties Grown in Rhizomania-Infested Fields. *Journal of Phytopathology-Phytopathologische Zeitschrift* **131**, 1-10.
- Burenin, V. I. (2001).** Genetic resources of sugarbeet and resistance to diseases. *Sakharnaya Svekla*, 25-29.
- Burketova, L., Sindelarova, M., Rysanek, P. & Sindelar, L. (1999).** Changes in ribonuclease and glucose-6-phosphate dehydrogenase activities induced by beet necrotic yellow vein virus in sugar beet. *Biologia Plantarum* **42**, 423-430.
- Burketova, L., Stillerova, K. & Feltlova, M. (2003).** Immunohistological localization of chitinase and beta-1,3-glucanase in rhizomania-diseased and benzothiadiazole treated sugar beet roots. *Physiological and Molecular Plant Pathology* **63**, 47-54.
- Buttner, G. & Mangold, B. (1998).** Tolerance, resistance, immunity - terms and their significance with reference to rhizomania. *Zuckerindustrie* **123**, 694-701.
- Buttner, G., Marlander, B. & Manthey, R.** Effect of beet yellowing viruses on light interception and light use efficiency of the sugarbeet crop.
- Buttner, G., Marlander, B. & Manthey, R. (1995).** Breeding for Resistance to Rhizomania in Sugar-Beet (Beta-Vulgaris L). *Plant Breeding* **114**, 160-164.
- Campbell, R. N. (1996).** Fungal transmission of plant viruses. *Annual Review of Phytopathology* **34**, 87-108.

- Cast, I. (2002).** Study of rhizomania-resistant varieties of sugar beets. *Listy Cukrovarnicke a Reparske* **118**, 287-289.
- Chen, T. H. (2003).** Occurrence, identification, aphid transmission and ecology of Beet western yellows virus in Taiwan. *Plant Pathology Bulletin* **12**, 43-56.
- Chod, J. & Chodova, D. (2002).** Resistance levels and their utilisation in the breeding of rhizomania-resistant sugar beet varieties. Part 1. *Listy Cukrovarnicke a Reparske* **118**, 287-289.
- Chod, J. & Chodova, D. (2003).** Increasing the resistance in sugar beets to Rizomania (part 2). *Listy Cukrovarnicke a Reparske* **119**, 82-83.
- Ciafardini, G. (1991).** Evaluation of Polymyxa-Betae Keskin Contaminated by Beet Necrotic Yellow Vein Virus in Soil. *Applied and Environmental Microbiology* **57**, 1817-1821.
- Clover, Azam, A., Jaggard & Smith (1999).** The effects of beet yellows virus on the growth and physiology of sugar beet (*Beta vulgaris*). *Plant Pathology* **48**, 129-138.
- Clover, G. R. G., Azam-Ali, S. N., Jaggard, K. W. & Smith, H. G. (1999).** The effects of beet yellows virus on the growth and physiology of sugar beet (*Beta vulgaris*). *Plant Pathology* **48**, 129-138.
- Clover, G. R. G., Smith, H. G., Azam-Ali, S. N. & Jaggard, K. W. (1999).** The effects of drought on sugar beet growth in isolation and in combination with beet yellows virus infection. *Journal of Agricultural Science* **133**, 251-261.
- Creamer, R., LuqueWilliams, M. & Howo, M. (1996).** Epidemiology and incidence of beet curly top geminivirus in naturally infected weed hosts. *Plant Disease* **80**, 533-535.
- Dale, M. F. B., Ford-Lloyd, B. V. & Arnold, M. H. (1985).** Variation in some agronomically important characters in a germplasm collection of beet. *Euphytica (Historical Archive)* **34**, 449-455.
- de Koeijer, K. J. & van der Werf, W. (1995).** Effect of beet yellowing viruses on light interception and light use efficiency of the sugarbeet crop. *Crop Protection* **14**, 291-297.
- de Koeijer, K. J. & van der Werf, W. (1999).** Effects of beet yellows virus and beet mild yellowing virus on leaf area dynamics of sugar beet (*Beta vulgaris* L.). *Field Crops Research* **61**, 163-177.
- DesanRoman, C. P., Ortiz, A. & Ayala, J. (1996).** Distribution and incidence of yellowing viruses in sugar beet crops in Spain from 1990 to 1993. *Annals of Applied Biology* **128**, 279-284.
- Diao, A., Chen, J., Gitton, F., Antoniw, J.F., Mullin, J., Hall, A.M., Adams, M.J. (1999).** Sequences of European Wheat mosaic virus and Oat golden stripe virus and genome analysis of the genus furovirus. *Virology* **261**, 331-339.
- Dietz-Pfeilstetter, A. & Kirchner, M. (1998).** Analysis of gene inheritance and expression in hybrids between transgenic sugar beet and wild beets. *Molecular Ecology* **7**, 1693-1700.
- Dolja, V. V. (2003).** Beet yellows virus: the importance of being different. *Molecular Plant Pathology* **4**, 91-98.
- Dolja, V. V., Hong, J., Keller, K. E., Martin, R. R. & Peremyslov, V. V. (1997).** Suppression of potyvirus infection by coexpressed closterovirus protein. *Virology* **234**, 243-252.
- Dolja, V. V., Hong, J., Keller, K. E., Martin, R. R. & Peremyslov, V. V. (1997).** Suppression of potyvirus infection by coexpressed closterovirus protein. *Virology* **234**, 243-252.
- Doney, D. L. & Whitney, E. D. (1990).** Genetic Enhancement in Beta for Disease Resistance Using Wild Relatives - a Strong Case for the Value of Genetic Conservation. *Economic Botany* **44**, 445-451.
- Dubois, F., Sangwan, R. S. & Sangwannorreel, B. S. (1994).** Immunogold Labeling and Electron-Microscopic Screening of Beet Necrotic Yellow Vein Virus in the Fungus Polymyxa-Betae Infecting Beta-Vulgaris Root Cortical Parenchyma Cells. *International Journal of Plant Sciences* **155**, 545-552.
- Dubois, F., Sangwan, R. S. & Sangwannorreel, B. S. (1994).** Spread of Beet Necrotic Yellow Vein Virus in Infected Seedlings and Plants of Sugar-Beet (*Beta-Vulgaris*). *Protoplasma* **179**, 72-82.
- Durr, C., Guevaer, F. & Guillet, J. M. (2000).** Pre-emergence Growth of Genotypes of Sugarbeet (*Beta vulgaris* L.) Tolerant to Rhizomania. *Annals of Botany* **85**, 197-202.
- Dusi, A. N. & Peters, D. (1999).** Beet mosaic virus: its vector and host relationships. *Journal of Phytopathology-Phytopathologische Zeitschrift* **147**, 293-298.
- Dusi, A. N., Peters, D. & Van der Werf, W. (2000).** Measuring and modelling the effects of inoculation date and aphid flights on the secondary spread of Beet mosaic virus in sugar beet. *Annals of Applied Biology* **136**,

- Ehlers, U., Commandeur, U., Frank, R., Landsmann, J., Koenig, R. & Burgermeister, W. (1991). Cloning of the Coat Protein Gene from Beet Necrotic Yellow Vein Virus and Its Expression in Sugar-Beet Hairy Roots. *Theoretical and Applied Genetics* **81**, 777-782.
- Farzadfar, S., Pourrahim, R., Golnaraghi, A. R., Shahraeen, N. & Makkouk, K. M. (2002). First report of sugar beet and bean as natural hosts of Chickpea chlorotic dwarf virus in Iran. *Plant Pathology* **51**, 795-795.
- Fecker, L. F., Koenig, R. & Obermeier, C. (1997). Nicotiana benthamiana plants expressing beet necrotic yellowvein virus (BNYVV) coat protein-specific scFv are partially protected against the establishment of the virus in the early stages of infection and its pathogenic effects in the late stages of infection. *Archives of Virology* **142**, 1857-1863.
- Francis, S. A. & Luterbacher, M. C. (2003). Identification and exploitation of novel disease resistance genes in sugar beet. *Pest Management Science* **59**, 225-230.
- Frischmuth, T., Engel, M. & Jeske, H. (1997). Beet curly top virus DNA-mediated resistance is linked to its size. *Molecular Breeding* **3**, 213-217.
- Fritzsche, R., Wrazidlo, W. & Thiele, S. (1988). Influence of Soil and Plant Manganese Status on the Intensity of Symptoms in Sugar-Beet Infected with Beet Mild Yellowing Virus. *Archiv Fur Phytopathologie Und Pflanzenschutz-Archives of Phytopathology and Plant Protection* **24**, 189-194.
- Garcia-Arenal, F. & McDonald, B. A. (2003). An analysis of the durability of resistance to plant viruses. *Phytopathology* **93**, 941-952.
- Geyl, L., Heriz, M. G., Valentin, P., Hehn, A. & Merdinoglu, D. Effects of plant age, leaf age and virus yellows infection on the population dynamics of Myzus persicae (Homoptera: Aphididae) on sugarbeet in field plots.
- Geyl, L., Heriz, M. G., Valentin, P., Hehn, A. & Merdinoglu, D. (1995). Identification and characterization of resistance to rhizomania in an ecotype of Beta vulgaris subsp. maritima. *Plant Pathology* **44**, 819-828.
- Geyt, J. P. C., Lange, W., Oleo, M. & Bock, T. S. M. (1990). Natural variation within the genus Beta and its possible use for breeding sugar beet: A review. *Euphytica (Historical Archive)* **49**, 57-76.
- Gidner, S., Lennefors, B. L., Nilsson, N. O., Bensefelt, J., Johansson, E., Gyllenspetz, U. & Kraft, T. (2005). QTL mapping of BNYVV resistance from the WB41 source in sugar beet. *Genome* **48**, 279-285.
- Gilbertson, R. L. & Lucas, W. J. (1996). How do viruses traffic on the 'vascular highway'? *Trends in Plant Science* **1**, 260-268.
- Gilmer, D., Allmang, C., Ehresmann, C., Guilley, H., Richards, K., Jonard, G., Ehresmann, B. (1993). The secondary structure of the 5'-noncoding region of Beet necrotic yellow vein virus RNA-3: evidence for a role in viral RNA replication. *Nucleic acid research* **21**, 1389-1395.
- Giorio, G., Gallitelli, M. & Carriero, F. (1997). Molecular markers linked to rhizomania resistance in sugar beet, Beta vulgaris, from two different sources map to the same linkage group. *Plant Breeding* **116**, 401-408.
- Glasa, M., dela, O. & Subr, Z. (2003). Molecular analysis of the 3' terminal region of the genome of Beet mosaic virus and its relation with other potyviruses. *Archives of Virology* **148**, 1863-1871.
- Glasa, M., Subr, Z., Ciampor, F. & Kudela, O. (2000). Some properties of a beet mosaic virus isolate from western Slovakia. *Biologia* **55**, 85-89.
- Goffart, J.-P., Maraite, H. (1991). Facteurs édaphiques et phytotechniques affectant le potentiel infectieux de Polymyxa betae Keskin en Belgique. *Parasitica* **47**, 165-192.
- Goldbach, R., Bucher, E. & Prins, M. (2003). Resistance mechanisms to plant viruses: an overview. *Virus Research* **92**, 207-212.
- Graichen, K. & Rabenstein, F. (1996). European isolates of beet western yellows virus (BWYV) from oilseed rape (Brassica napus L ssp. napus) are non-pathogenic on sugar beet (Beta vulgaris L var. altissima) but represent isolates of turnip yellows virus (TuYV). *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection* **103**, 233-245.
- Grassi, G., Fantini, R. & Biancardi, E. (1988). Prospective Method of Selecting Sugar-Beet for Resistance to Rhizomania Virus (Bnyvv). *Zuckerindustrie* **113**, 594-596.
- Haeblerl, A.-M., Stussi-Garaud, C., Schmitt, C., Garaud, J. C., Richards, K. E., Guilley, H. & Jonard, G. (1994). Detection by immunogold labelling of P75 readthrough protein near an extremity of beet necrotic

- yellow vein virus particles. *Archives of Virology (Historical Archive)* **134**, 195-203.
- Hammer, K., Stanarius, A. & Kühne, T. (1990).** Differential occurrence of beet cryptic viruses – A new tool for germplasm characterization and evolutionary studies in beets? *Euphytica (Historical Archive)* **45**, 23-27.
- Hanson, L. E. & Panella, L. (2003).** Disease control in sugar beet. *International Sugar Journal* **105**, 60-+.
- Harju, V. A., Skelton, A., Clover, G. R. G., Ratti, C., Boonham, N., Henry, C. M. & Mumford, R. A. (2005).** The use of real-time RT-PCR (TaqMan (R)) and post-ELISA virus release for the detection of beet necrotic yellow vein virus types containing RNA 5 and its comparison with conventional RT-PCR. *Journal of Virological Methods* **123**, 73-80.
- Harrington, R., Dewar, A. M. & George, B. (1989).** Forecasting the Incidence of Virus Yellows in Sugar-Beet in England. *Annals of Applied Biology* **114**, 459-469.
- Harris, K. F., PesicVanEsbroeck, Z. & Duffus, J. E.** Identification and characterization of resistance to rhizomania in an ecotype of *Beta vulgaris* subsp. *maritima*.
- Harrison, B. D. (2002).** Virus variation in relation to resistance-breaking in plants. *Euphytica* **124**, 181-192.
- Harveson, R. M. & Rush, C. M. (1993).** An Environmentally Controlled Experiment to Monitor the Effect of *Aphanomyces* Root-Rot and Rhizomania on Sugar-Beet. *Phytopathology* **83**, 1220-1223.
- Harveson, R. M. & Rush, C. M. (1994).** Evaluation of Fumigation and Rhizomania-Tolerant Cultivars for Control of a Root Disease Complex of Sugar-Beets. *Plant Disease* **78**, 1197-1202.
- Hauser, S., Stevens, M., Beuve, M. & Lemaire, O. (2002).** Biological properties and molecular characterization of beet chlorosis virus (BChV). *Archives of Virology* **147**, 745-762.
- Hauser, S., Stevens, M., Mougel, C., Smith, H. G., Fritsch, C., Herrbach, E. & Lemaire, O. (2000).** Biological, serological, and molecular variability suggest three distinct polerovirus species infecting beet or rape. *Phytopathology* **90**, 460-466.
- He, X., Harper, K., Grantham, G., Yang, C. H. & Creamer, R.** Virus yellows of sugarbeet.
- Hehn, A., Bouzoubaa, S., Bate, N., Twell, D., Marbach, J., Richards, K.E., Guilley, H., Jonard, G. (1995).** The small cystein-rich protein P14 of Beet necrotic yellow vein virus regulates accumulation of RNA-2 in cis and coat protein in trans. *Virology* **210**, 73-81.
- Heidel, G. B. & Rush, C. M. (1994).** Distribution of Beet Necrotic Yellow Vein Virus, Beet Distortion Mosaic-Virus, and an Unnamed Soilborne Sugar-Beet Virus in Texas and New-Mexico. *Plant Disease* **78**, 603-606.
- Heidel, G. B., Rush, C. M., Kendall, T. L., Lommel, S. A. & French, R. C. (1997).** Characteristics of beet soilborne mosaic virus, a furo-like virus infecting sugar beet. *Plant Disease* **81**, 1070-1076.
- Heijbroek, W. (1988).** Dissemination of rhizomania by soil, beet seeds and stable manure. *European Journal of Plant Pathology (Historical Archive)* **94**, 9-15.
- Heijbroek, W. (1989).** The development of rhizomania in two areas of the Netherlands and its effect on sugar-beet growth and quality. *European Journal of Plant Pathology (Historical Archive)* **95**, 27-35.
- Heijbroek, W., Munning, R. G. & van Swaaij, A. C. P. M. (2002).** The effect of different levels of beet cyst nematodes (*Heterodera schachtii*) and beet necrotic yellow vein virus (BNYVV) on single and double resistant sugar beet cultivars. *European Journal of Plant Pathology* **108**, 735-744.
- Heijbroek, W., Musters, P. M. S. & Schoone, A. H. L. (1999).** Variation in pathogenicity and multiplication of beet necrotic yellow vein virus (BNYVV) in relation to the resistance of sugar-beet cultivars. *European Journal of Plant Pathology* **105**, 397-405.
- Hein, G. L., Harveson, R., Smith, J. A., Wilson, R. G. & Yonts, C. D. (2001).** Varietal resistance to sugarbeet root aphid. In *Proceedings from the 31st Biennial Meeting*, pp. 202-206. Denver USA: American Society of Sugar Beet Technologists.
- Herrbach, E. (1987).** Effect of Dodecanoic Acid on the Colonization of Sugar-Beet by Aphids and the Secondary Spread of Virus Yellows. *Annals of Applied Biology* **111**, 477-482.
- Hormuzdi, S. G. & Bisaro, D. M. (1993).** Genetic-Analysis of Beet Curly Top Virus - Evidence for 3 Virion Sense Genes Involved in Movement and Regulation of Single-Stranded and Double-Stranded DNA Levels. *Virology* **193**, 900-909.
- Horvath, J., Pocsá, E. & Nyerges, K. (1994).** Beet Necrotic Yellow Vein Furovirus .2. New Resistant Beta Sources.

- Hugo, S. A., Henry, C. M. & Harju, V. (1996).** The role of alternative hosts of *Polymyxa betae* in transmission of beet necrotic yellow vein virus (BNYVV) in England. *Plant Pathology* **45**, 662-666.
- Hunger, S., Di Gaspero, G., Mohring, S., Bellin, D., Schafer-Pregl, R., Borchardt, D. C., Durel, C. E., Werber, M., Weisshaar, B., Salamini, F. & other authors (2003).** Isolation and linkage analysis of expressed disease-resistance gene analogues of sugar beet (*Beta vulgaris* L.). *Genome* **46**, 70-82.
- Ingersoll, J. C., Heutte, T. M. & Owens, L. D.** Reduced titer of BNYVV in transgenic sugar beets expressing the BNYVV coat protein.
- Jaggard, K. W., Allison, M. F., Clark, C. J. A., Todd, A. D. & Smith, H. G.** Development of a recombinant antibody ELISA test for the detection of *Polymyxa betae* and its use in resistance screening.
- Jaggard, K. W., Allison, M. F., Clark, C. J. A., Todd, A. D. & Smith, H. G. (2002).** The effect of nitrogen supply and virus yellows infection on the growth, yield and processing quality of sugarbeet (*Beta vulgaris*). *Journal of Agricultural Science* **139**, 129-138.
- Jaggard, K. W., Dewar, A. M. & Pidgeon, J. D.** Genome properties of beet virus Q, a new furo-like virus from sugarbeet, determined from unpurified virus.
- Jung, J.-L., Bouzoubaa, S., Gilmer, D. & Hahne, G. n. (1992).** Visualisation of transgene expression at the single protoplast level. *Plant Cell Reports (Historical Archive)* **11**, 346-350.
- Kallerhoff, J., Perez, P., Bouzoubaa, S., Bentahar, S. & Perret, J. (1990).** Beet Necrotic Yellow Vein Virus Coat Protein-Mediated Protection in Sugar-Beet (*Beta-Vulgaris* L) Protoplasts. *Plant Cell Reports* **9**, 224-228.
- Kang, B.-C., Yeam, I. & Jahn, M. M. (2005).** GENETICS OF PLANT VIRUS RESISTANCE. *Annual Review of Phytopathology* **43**, 581-621.
- Kastirr, U., Pfeilstetter, E. & Burgermeister, W. (1994).** Virus Content and Virulence of *Polymyxa-Betae* Keskin Isolates Obtained from Different Regions in Europe. *Journal of Phytopathology-Phytopathologische Zeitschrift* **141**, 369-374.
- Katis, N. J., Kokinis, G., Eleftherohorinos, I. & Jones, P. (1997).** Arable weeds identified as new sources of beet mosaic potyvirus in Greece. *Annals of Applied Biology* **130**, 255-260.
- Kaufmann, A., Koenig, R. & Lesemann, D. E. (1992).** Tissue print-immunoblotting reveals an uneven distribution of beet necrotic yellow vein and beet soil-borne viruses in sugarbeets. *Archives of Virology (Historical Archive)* **126**, 329-335.
- Keller, P., Luttge, U., Wang, X.-C. & Buttner, G. (1989).** Influence of rhizomania disease on gas exchange and water relations of a susceptible and a tolerant sugar beet variety. *Physiological and Molecular Plant Pathology* **34**, 379-392.
- Kift, N. B., Dewar, A. M. & Dixon, A. F. G. (1998).** Onset of a decline in the quality of sugar beet as a host for the aphid shape *Myzus persicae*. *Entomologia Experimentalis et Applicata* **88**, 155-161.
- Kift, N. B., Dewar, A. M., Werker, A. R. & Dixon, A. F. G. (1996).** The effect of plant age and infection with virus yellows on the survival of *Myzus persicae* on sugar beet. *Annals of Applied Biology* **129**, 371-378.
- Kift, N. B., Mellon, F. A., Dewar, A. M. & Dixon, A. F. G. (1998).** Analyses of the stomach deposit that develops in *Myzus persicae* feeding on sugar beet. *Physiological Entomology* **23**, 347-353.
- Kingsnorth, C. S., Asher, M. J. C., Keane, G. J. P., Chwarszczynska, D. M., Luterbacher, M. C. & Mutasa Gottgens, E. S.** Registration of sugarbeet germplasm lines C927-4, C929-62, C930-19, and C930-35 with resistance to rhizomania, virus yellows, and bolting.
- Kingsnorth, C. S., Asher, M. J. C., Keane, G. J. P., Chwarszczynska, D. M., Luterbacher, M. C. & Mutasa-Gottgens, E. S. (2003).** Development of a recombinant antibody ELISA test for the detection of *Polymyxa betae* and its use in resistance screening. *Plant Pathology* **52**, 673-680.
- Koenig, R., Ehlers, U. (1989).** Influence of RNA composition of Beet necrotic yellow vein furovirus isolates and of the sugar beet cultivar on the translocation of the virus in mechanically inoculated sugar beet roots. *Bulletin OEPP/EPPO bulletin* **19**, 527-530.
- Koenig, R. (2004).** Strategies for the detection of potential Beet Necrotic yellow vein virus recombinations which might arise as a result of growing A type coat protein gene-expressing sugarbeets in soil containing B type virus. *Transgenic research* **13**, 21-28.

- Koenig, R., Haeblerl, A. M. & Commandeur, U. (1997).** Detection and Characterization of a Distinct Type of Beet Necrotic Yellow Vein Virus RNA 5 in a Sugarbeet Growing Area in Europe. *Archives of Virology* **142**, 1499-1504.
- Koenig, R. & Lennefors, B. L. (2000).** Molecular analyses of European A, B and P type sources of Beet necrotic yellow vein virus and detection of the rare P type in Kazakhstan. *Archives of Virology* **145**, 1561-1570.
- Koenig, R., Pleij, C. W., Beier, C. & Commandeur, U. (1998).** Genome properties of beet virus Q, a new furo-like virus from sugarbeet, determined from unpurified virus. *J Gen Virol* **79**, 2027-2036.
- Koenig, R., Pleij, C. W. A., Beier, C. & Commandeur, U.** Serological characterization of the 3'-proximal encoded proteins of beet yellows closterovirus.
- Koenig, R., Pleij, C. W. A. & Buttner, G. (2000).** Structure and variability of the 3' end of RNA 3 of Beet soil-borne pomovirus - a virus with uncertain pathogenic effects. *Archives of Virology* **145**, 1173-1181.
- Kuhne, T., Stanarius, A., Plobner, L. & Schubert, J. (1988).** Occurrence of Beet Cryptic Virus-1 and Beet Cryptic Virus-2 in Single Plants of Sugar-Beet and in Other Varieties of Beta-Vulgaris L. *Archiv Fur Phytopathologie Und Pflanzenschutz-Archives of Phytopathology and Plant Protection* **24**, 273-281.
- Kundu, K. & Rysanek, P. (2004).** Detection of Beet yellows virus by RT-PCR and immunocapture RT-PCR in *Tetragonia expansa* and *Beta vulgaris*. *Acta Virologica* **48**, 177-182.
- Landis, D. A. & Van der Werf, W. (1997).** Early-season predation impacts the establishment of aphids and spread of beet yellows virus in sugar beet. *Entomophaga* **42**, 499-516.
- Latham, J. R., Saunders, K., Pinner, M. S. & Stanley, J. (1997).** Induction of plant cell division by beet curly top virus gene C4. *Plant Journal* **11**, 1273-1283.
- Lauber, E., Janssens, L., Weyens, G., Jonard, G., Richards, K. E., Lefebvre, M. & Guilley, H. (2001).** Rapid screening for dominant negative mutations in the beet necrotic yellow vein virus triple gene block proteins P13 and P15 using a viral replicon. *Transgenic Research* **10**, 293-302.
- Lecoq, H., Moury, B., Desbiez, C., Palloix, A. & Pitrat, M. (2004).** Durable virus resistance in plants through conventional approaches: a challenge. *Virus Research* **100**, 31-39.
- Lee, L., Telford, E. B., Batten, J. S., Scholthof, K. B. G. & Rush, C. M. (2001).** Complete nucleotide sequence and genome organization of Beet soilborne mosaic virus, a proposed member of the genus Benyvirus. *Archives of Virology* **146**, 2443-2453.
- Lee, S., Stenger, D. C., Bisaro, D. M. & Davis, K. R. (1994).** Identification of Loci in Arabidopsis That Confer Resistance to Geminivirus Infection. *Plant Journal* **6**, 525-535.
- Legreve, A., Delfosse, P., Van Hese, V., Bragard, C., Maraite, H. (2002).** Broad-spectrum detection of *Polymyxa* species and form species by polymerase chain reaction. In *Fifth Symposium of the International Working Group on Plant Viruses with Fungal Vectors*, pp. 40-43. Edited by C. M. Rush, Merz, U. Zurich, Switzerland: American Society of Sugar Beet Technologists, Denver, USA.
- Legrève, A., Vanpee, B., Delfosse, P., Maraite, H. (1999).** High temperature during storage favours infection potential of resting spores of *Polymyxa graminis* of Indian origin. *Annals of Applied Biology* **134**, 163-169.
- Legrève, A., Delfosse, P., Ribonnet, L., Paridaens, A-M., Lurkin, R., Maraite, H (2005).** Diversity of *Polymyxa graminis* associated with cereals in West Africa. *Parasitica* **61**, 5-10.
- Lemaire, O., Herrbach, E., Stevens, M., Bouchery, Y. & Smith, H. G. (1995).** Detection of sugar beet-infecting beet mild yellowing luteovirus isolates with a specific RNA probe. *Phytopathology* **85**, 1513-1518.
- Lemaire, O., Merdinoglu, D., Valentin, P., Putz, C., Zieglergraff, V., Guilley, H., Jonard, G. & Richards, K. (1988).** Effect of Beet Necrotic Yellow Vein Virus-Rna Composition on Transmission by *Polymyxa-Betae*. *Virology* **162**, 232-235.
- Lennefors, B. L., Savenkov, E. I., Mukasa, S. B. & Valkonen, J. P. T. (2005).** Sequence Divergence of Four Soilborne Sugarbeet-Infecting Viruses. *Virus Genes* **31**, 57-64.
- Lennefors, B.-L., Lindsten, K. & Koenig, R. (2000).** First Record of A and B Type Beet necrotic yellow vein virus in Sugar Beets in Sweden. *European Journal of Plant Pathology* **106**, 199-201.
- Lewellen, R. T. (2002).** Registration of high sucrose, rhizomania resistant sugarbeet germplasm line CZ25-9. *Crop Science* **42**, 320-321.
- Lewellen, R. T. (2002).** Registration of monogerm rhizomania resistant sugarbeet parental lines C833-5 and

- C833-5CMS. *Crop Science* **42**, 321-322.
- Lewellen, R. T. (2002).** Registration of sugarbeet germplasm CR09-1, with dual resistance to *Cercospora* and rhizomania. *Crop Science* **42**, 672-673.
- Lewellen, R. T. (2004).** Registration of rhizomania resistant, monogerm populations C869 and C869CMS sugarbeet. *Crop Science* **44**, 357-358.
- Lewellen, R. T. (2004).** Registration of sugarbeet germplasm lines C67/2, C69/2, C78/3, and C80/2 with resistance to virus yellows and rhizomania. *Crop Science* **44**, 358-359.
- Lewellen, R. T. (2004).** Registration of sugarbeet germplasm lines C927-4, C929-62, C930-19, and C930-35 with resistance to rhizomania, virus yellows, and bolting. *Crop Science* **44**, 359-361.
- Limb, R., Prince, J., Asher, M. & Hoyles, J. (2002).** Rhizomania management in the UK: year 1 of the new joint industry policy in operation. *British Sugar Beet Review* **70**, 2-5.
- Liu, H. Y., Sears J., Lewellen, R.B. (2004).** Emergence of Resistance-Breaking Isolates of Beet Necrotic Yellow Vein Virus in the Imperial Valley, California. *Phytopathology*.
- Liu, H. Y., Sears J., Lewellen, R.B. (2004).** P-Pathotype of Rhizomania in Sugar Beet Has Not Been Identified in the Imperial Valley. *The California Sugar Beet*, 12-13.
- Liu, H. Y., Sears J., Lewellen, R.B. (2005).** Etiology and Pathogenicity Studies of Resistance-Breaking Isolates of Beet Necrotic Yellow Vein Virus. *International Plant Virus Epidemiology Symposium*, 96.
- Liu, H. Y., Sears, J. L. & Lewellen, R. T. (2005).** Occurrence of resistance-breaking Beet necrotic yellow vein virus of sugar beet. *Plant Disease* **89**, 464-468.
- Lowe, H. J. B. & Russell, G. (1974).** Probing by aphids in the leaf tissues of resistant and susceptible sugar beet. *Entomologia Experimentalis et Applicata (Historical Archive)* **17**, 468-476.
- Luterbacher, M. C., Asher, M. J. C., Beyer, W., Mandolino, G., Scholten, O. E., Frese, L., Biancardi, E., Stevanato, P., Mechelke, W. & Slyvchenko, O. (2005).** Sources of resistance to diseases of sugar beet in related Beta germplasm: II. Soil-borne diseases. *Euphytica* **141**, 49-63.
- Luterbacher, M. C., Asher, M. J. C., DeAmbrogio, E., Biancardi, E., Stevenato, P. & Frese, L. (2004).** Sources of resistance to diseases of sugar beet in related Beta germplasm: I. Foliar diseases. *Euphytica* **139**, 105-121.
- Magyarosy, A. C. & Mittler, T. E. (1987).** Aphid Feeding Rates on Healthy and Beet Curly Top Virus-Infected Plants. *Phytoparasitica* **15**, 335-338.
- Mahmood, T. & Rush, C. M. (1999).** Evidence of cross-protection between beet soilborne mosaic virus and beet necrotic yellow vein virus in sugar beet. *Plant Disease* **83**, 521-526.
- Mali, V. R. (2000).** Natural infection of beet by beet mosaic potyvirus (BtMV) in West Slovakia. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection* **107**, 539-547.
- Mannerlof, M., Lennerfors, B. L. & Tenning, P. (1996).** Reduced titer of BNYVV in transgenic sugar beets expressing the BNYVV coat protein. *Euphytica* **90**, 293-299.
- McGrath, J. M., Derrico, C. A. & Yu, Y. (1999).** Genetic diversity in selected, historical US sugarbeet germplasm and *Beta vulgaris* ssp *maritima*. *Theoretical and Applied Genetics* **98**, 968-976.
- McGrath, J. M. & Lewellen, R. T. (2004).** Registration of EL0204 sugarbeet germplasm with smooth-root and resistance to rhizomania. *Crop Science* **44**, 1032-1033.
- Mesbah, M., Scholten, O. E., deBock, T. S. M. & Lange, W. (1997).** Chromosome localisation of genes for resistance to *Heterodera schachtii*, *Cercospora beticola* and *Polymyxa betae* using sets of *Beta procumbens* and *B-patellaris* derived monosomic additions in *B-vulgaris*. *Euphytica* **97**, 117-127.
- Meulemans, M. J., L.; Horemans, Stefaan, H. (2003).** Interactions Between Major Genes, and Influence of the Genetic Background in the Expression of Rhizomania Resistance. *Proceedings of the 66th IIRB Congress 26th February-1st March 2003, San Antonio - Texas (USA)*, 161-173.
- Meunier, A., Schmit, J. F., Stas, A., Kutluk, N. & Bragard, C. (2003).** Multiplex reverse transcription-PCR for simultaneous detection of Beet necrotic yellow vein virus, Beet soilborne virus, and Beet virus Q and their vector *Polymyxa betae* KESKIN on sugar beet. *Applied and Environmental Microbiology* **69**, 2356-2360.
- Miyaniishi, M., Kusume, T., Saito, M. & Tamada, T. (1999).** Evidence for three groups of sequence variants of beet necrotic yellow vein virus RNA 5. *Archives of Virology* **144**, 879-892.

- Mouhanna, A. M. (2000).** I Rhizomania: Investigations on epidemiology. II Rhizomania: Investigations on Systemic Acquired Resistance (SAR) of sugar beet. III Molecular phytopathological studies on the reaction of sugar beet plants to rhizomania and the resistance inducer BION(R). In *Rizomania: Untersuchungen zur Epidemiologie und zur Systemische Aktivierten Resistenz*, p. vii. + 239 pp.
- Mouhanna, A. M., Basedow, T. & Schlosser, E. (2001).** Studies on interactions between the infection of susceptible and tolerant sugar beet cultivars with different Rhizomania-viruses and aphids. *Zeitschrift Fur Pflanzenkrankheiten Und Pflanzenschutz-Journal of Plant Diseases and Protection* **108**, 176-187.
- Mouhanna, A. M., Nasrallah, A., Langen, G. & Schlosser, E. (2002).** Surveys for Beet necrotic yellow vein virus (the cause of rhizomania), other viruses, and soil-borne fungi infecting sugar beet in Syria. *Journal of Phytopathology-Phytopathologische Zeitschrift* **150**, 657-662.
- Mutasa-Gottgens, E. S., Chwarszczynska, D. M., Halsey, K. & Asher, M. J. C. (2000).** Specific polyclonal antibodies for the obligate plant parasite *Polymyxa* - a targeted recombinant DNA approach. *Plant Pathology* **49**, 276-287.
- Nemchinov, L. G., Hammond, J., Jordan, R. & Hammond, R. W. (2004).** The complete nucleotide sequence, genome organization, and specific detection of Beet mosaic virus - Brief report. *Archives of Virology* **149**, 1201-1214.
- Panella, L. & Lewellen, R. T. (2005).** Registrations of germplasms - Registration of FC201, a heterogeneous, disease-resistant, monogerm, O-type sugarbeet population. *Crop Science* **45**, 1169-1170.
- Panella, L. W. & Ruppel, E. G. (1997).** Registration of sugarbeet germplasms FC721 and FC721CMS resistant to Rhizoctonia root rot and moderately resistant to the beet curly top virus. *Crop Science* **37**, 1675-1676.
- Park, S. H., Hur, J., Park, J., Lee, S., Lee, T. K., Chang, M., Davis, K. R., Kim, J. & Lee, S. (2002).** Identification of a tolerant locus on *Arabidopsis thaliana* to hypervirulent Beet curly top virus CFH strain. *Molecules and Cells* **13**, 252-258.
- Paul, H., Eeuwijk, F. A. & Heijbroek, W. (1993).** Multiplicative models for cultivar by location interaction in testing sugar beets for resistance to beet necrotic yellow vein virus. *Euphytica (Historical Archive)* **71**, 63-74.
- Paul, H., Henken, B. & Alderlieste, M. F. J. (1992).** A Greenhouse Test for Screening Sugar-Beet (*Beta-Vulgaris*) for Resistance to Beet Necrotic Yellow Vein Virus (Bnyvv). *Netherlands Journal of Plant Pathology* **98**, 65-75.
- Paul, H., Henken, B., Debock, T. S. M. & Lange, W. (1992).** Resistance to *Polymyxa-Betae* in *Beta*-Species of the Section Procumbentes, in Hybrids with *Beta-Vulgaris* and in Monosomic Chromosome Additions of *Beta-Procumbens* in *Beta-Vulgaris*. *Plant Breeding* **109**, 265-273.
- Paul, H., Henken, B., Scholten, O. E. & Lange, W. (1993).** Use of Zoospores of *Polymyxa-Betae* in Screening Beet Seedlings for Resistance to Beet Necrotic Yellow Vein Virus. *Netherlands Journal of Plant Pathology* **99**, 151-160.
- Pelsy, F. & Merdinoglu, D. (1996).** Identification and mapping of random amplified polymorphic DNA markers linked to a rhizomania resistance gene in sugar beet (*Beta vulgaris* L) by bulked segregant analysis. *Plant Breeding* **115**, 371-377.
- Pfeffer, S., Dunoyer, P., Heim, F., Richards, K. E., Jonard, G. & Ziegler-Graff, V. (2002).** P0 of beet western yellows virus is a suppressor of posttranscriptional gene silencing. *Journal of Virology* **76**, 6815-6824.
- Pocsai, E. & Berta, A. (1998).** Influence of soil infection with beet necrotic yellow vein virus (rhizomania) on yield and internal quality of sugar beet varieties. *Novenytermeles* **47**, 393-406.
- Polak, J., Pivalova, J. & Bernardova, H. (1991).** Virus Diseases of Sugar-Beet in Csfr in 1982 - 1990. *Listy Cukrovarnicke a Reparske* **107**, 178-186.
- Potyondi, L. (2002).** Rhizomania: newer virus types further challenges. *Cukoripar* **55**, 98-101.
- Powell, G. (1991).** Cell-Membrane Punctures during Epidermal Penetrations by Aphids - Consequences for the Transmission of 2 Potyviruses. *Annals of Applied Biology* **119**, 313-321.
- Proeseler, G. & Meyer, U. (1988).** Influence of Beet Mild Yellowing Virus and Beet Yellows Virus on the Proportion of Diseased Leaves and Relations between Duration of Disease and Crop Yield in Sugar-Beet. *Archiv Fur Phytopathologie Und Pflanzenschutz-Archives of Phytopathology and Plant Protection* **24**, 195-201.
- Qi, A. M., Dewar, A. M. & Harrington, R. (2004).** Decision making in controlling virus yellows of sugar beet in the UK. *Pest Management Science* **60**, 727-732.

- Reed, J. C., Kasschau, K. D., Prokhnovsky, A. I., Gopinath, K., Pogue, G. P., Carrington, J. C. & Dolja, V. V. (2003).** Suppressor of RNA silencing encoded by Beet yellows virus. *Virology* **306**, 203-209.
- Reinhardt, I. (1988).** On the Suitability of Sugar-Beet Root Material for Detection of Beet Yellows Virus by Enzyme-Linked Immunosorbent-Assay (Elisa). *Archiv Fur Phytopathologie Und Pflanzenschutz-Archives of Phytopathology and Plant Protection* **24**, 255-257.
- Reinhardt, I. (1988).** Studies for More Efficient Detection by Means of Elisa of Beet Yellows Virus in Sugar-Beet. *Archiv Fur Phytopathologie Und Pflanzenschutz-Archives of Phytopathology and Plant Protection* **24**, 367-373.
- Reinhardt, I., Richter, K., Richter, J., Wiesner, K. & Krause, M. (1989).** Several Years Studies of the Reliability of Elisa for Diagnosis of Virus Yellows in Sugar-Beet Breeding Material. *Archiv Fur Phytopathologie Und Pflanzenschutz-Archives of Phytopathology and Plant Protection* **25**, 115-121.
- Richard-Molard, M. (2002).** Rhizomania: current status of resistance formation. In *Proceedings of the 65th Institut International de Recherches Betteravieres Congress, Brussels, Belgium, 13-14 February 2002*, pp. 239-245.
- Rimsa, V. (1990).** Influence of Virus Yellows on Sugar-Beet Yield and Quality. *Listy Cukrovarnicke a Reparske* **106**, 17-18.
- Rimsa, V. & Rysanek, P. (1992).** Changes in Chemical-Composition of Sugar-Beet Leaves in Conditions of Infection of Virus Yellows (Bmyv, Byv). *Listy Cukrovarnicke a Reparske* **108**, 128-134.
- Ritzenthaler, C. (2005).** Resistance to plant viruses: old issue, news answers? *Current Opinion in Biotechnology* **16**, 118-122.
- Rogov, V. V., Solomyakina, S. N. & Karasev, A. V. (1992).** Survey of 2 Beet Viruses in South Kazakhstan and Central-Asia. *Annals of Applied Biology* **120**, 435-441.
- Rush, C. M. & Heidel, G. B. (1995).** Furovirus Diseases of Sugar-Beets in the United-States. *Plant Disease* **79**, 868-875.
- Schaufele, W. R. & Buttner, G.** The effect of nitrogen supply and virus yellows infection on the growth, yield and processing quality of sugarbeet (*Beta vulgaris*).
- Schirmer, A., Link, D., Cognat, V., Moury, B., Beuve, M., Meunier, A., Bragard, C., Gilmer, D. & Lemaire, O. (2005).** Phylogenetic analysis of isolates of Beet necrotic yellow vein virus collected worldwide. *Journal of General Virology* **86**, 2897-2911.
- Scholten, O. E., De Bock, T. S. M., Klein-Lankhorst, R. M. & Lange, W. (1999).** Inheritance of resistance to beet necrotic yellow vein virus in *Beta vulgaris* conferred by a second gene for resistance. *Theoretical and Applied Genetics* **99**, 740-746.
- Scholten, O. E., Jansen, R. C., Keizer, L. C. P., DeBock, T. S. M. & Lange, W. (1996).** Major genes for resistance to beet necrotic yellow vein virus (BNYVV) in *Beta vulgaris*. *Euphytica* **91**, 331-339.
- Scholten, O. E., KleinLankhorst, R. M., Esselink, D. G., DeBock, T. S. M. & Lange, W. (1997).** Identification and mapping of random amplified polymorphic DNA (RAPD) markers linked to resistance against beet necrotic yellow vein virus (BNYVV) in *Beta* accessions. *Theoretical and Applied Genetics* **94**, 123-130.
- Scholten, O. E. & Lange, W. (2000).** Breeding for resistance to rhizomania in sugar beet: A review. *Euphytica* **112**, 219-231.
- Scholten, O. E., Paul, H., Peters, D., Van Lent, J. W. M. & Goldbach, R. W. (1994).** In situ localisation of beet necrotic yellow vein virus (BNYVV) in rootlets of susceptible and resistant beet plants. *Archives of Virology (Historical Archive)* **136**, 349-361.
- Seddas, P., Boissinot, S., Strub, J. M., Van Dorsselaer, A., Van Regenmortel, M. H. V. & Pattus, F. (2004).** Rack-1, GAPDH3, and actin: proteins of *Myzus persicae* potentially involved in the transcytosis of beet western yellows virus particles in the aphid. *Virology* **325**, 399-412.
- Smith, H. G., Asher, M. J. C., Williams, G. E. & Hallsworth, P. B. (1995).** The effect of fungicides on sugar beet infected with beet mild yellowing virus. *Crop Protection* **14**, 665-669.
- Smith, H. G., Barker, I., Brewer, G., Stevens, M. & Hallsworth, P. B. (1996).** Production and evaluation of monoclonal antibodies for the detection of beet mild yellowing luteovirus and related strains. *European Journal of Plant Pathology* **102**, 163-169.
- Soto, M. J. & Gilbertson, R. L. (2003).** Distribution and rate of movement of the curtovirus Beet mild curly top virus (Family geminiviridae) in the beet leafhopper. *Phytopathology* **93**, 478-484.

- Stacey, A. J., Truscott, J. E., Asher, M. J. C. & Gilligan, C. A. (2004).** A model for the invasion and spread of rhizomania in the United Kingdom: Implications for disease control strategies. *Phytopathology* **94**, 209-215.
- Stenger, D. C., Carbonaro, D. & Duffus, J. E. (1990).** Genomic Characterization of Phenotypic Variants of Beet Curly Top Virus. *Journal of General Virology* **71**, 2211-2215.
- Stenger, D. C., Davis, K. R. & Bisaro, D. M. (1994).** Recombinant Beet Curly Top Virus Genomes Exhibit Both Parental and Novel Pathogenic Phenotypes. *Virology* **200**, 677-685.
- Stenger, D. C. & Ostrow, K. M. (1996).** Genetic complexity of a beet curly top virus population used to assess sugar beet cultivar response to infection. *Phytopathology* **86**, 929-933.
- Stevanato, P., Biaggi, M. d., Skaracis, G. N., Colombo, M., Mandolino, G. & Biancardi, E. (2001).** The sea beet (*Beta vulgaris* L. ssp. *maritima*) of the adriatic coast as source of resistance for sugar beet. *Sugar Tech* **3**, 77-82.
- Stevens, M. (2005).** Interactions between virus yellows and rhizomania. *British Sugar Beet Review* **73**, 2, 4, 6, 8.
- Stevens, M., Freeman, B., Liu, H. Y., Herrbach, E. & Lemaire, O. (2005).** Beet poleroviruses: close, friends or distant relatives? *Molecular Plant Pathology* **6**, 1-9.
- Stevens, M., Hallsworth, P. B. & Smith, H. G. (2004).** The effects of Beet mild yellowing virus and Beet chlorosis virus on the yield of UK field-grown sugar beet in 1997, 1999 and 2000. *Annals of Applied Biology* **144**, 113-119.
- Stevens, M., Patron, N. J., Dolby, C. A., Weekes, R., Hallsworth, P. B., Lemaire, O. & Smith, H. G. (2005).** Distribution and properties of geographically distinct isolates of sugar beet yellowing viruses. *Plant Pathology* **54**, 100-107.
- Stevens, M. & Pettit, D. (2004).** Virus yellows - why was it a serious problem in North Yorkshire in 2004? *British Sugar Beet Review* **72**, 18-21.
- Stevens, M., Smith, H. G. & Hallsworth, P. B. (1994).** Identification of a 2Nd Distinct Strain of Beet Mild Yellowing Luteovirus Using Monoclonal-Antibodies and Transmission Studies. *Annals of Applied Biology* **125**, 515-520.
- Stevens, M., Smith, H. G. & Hallsworth, P. B. (1995).** Detection of the luteoviruses, beet mild yellowing virus and beet western yellows virus, in aphids caught in sugar-beet and oilseed rape crops, 1990-1993. *Annals of Applied Biology* **127**, 309-320.
- Subikova, V.** The relative effects of drought stress and virus yellows on the yield of sugarbeet in the UK, 1980-95.
- Subikova, V. (1998).** Natural infection of sugar beet by Tobacco necrosis virus. *Listy Cukrovarnicke a Reparske* **114**, 251-254.
- Subikova, V. & Kollerova, E. (1999).** Monitoring of virus diseases of sugar beet in Slovakia. *Listy Cukrovarnicke a Reparske* **115**, 296-298.
- Sugars, Lennon, Plumb & White (1998).** Sugar beet yellow net complex contains a luteovirus component. *Plant Pathology* **47**, 89-94.
- Sunter, G., Sunter, J. L. & Bisaro, D. M. (2001).** Plants expressing tomato golden mosaic virus AL2 or beet curly top virus L2 transgenes show enhanced susceptibility to infection by DNA and RNA viruses. *Virology* **285**, 59-70.
- Swiech, R., Browning, S., Molsen, D., Stenger, D. C. & Holbrook, G. P. (2001).** Photosynthetic responses of sugar beet and *Nicotiana benthamiana* Domin. infected with beet curly top virus. *Physiological and Molecular Plant Pathology* **58**, 43-52.
- Tamada, T. (2001).** Studies on Beet necrotic yellow vein virus. *Journal of General Plant Pathology* **67**, 248-250.
- Tamada, T., Uchino, H., Kusume, T. & Saito, M. (1999).** RNA 3 deletion mutants of beet necrotic yellow vein virus do not cause rhizomania disease in sugar beets. *Phytopathology* **89**, 1000-1006.
- Tilcher, R., Holtschulte, B. & Beyer, W. (2004).** Perspectives and challenges of breeding towards resistance to soil-borne pathogens - sugar beet as an example. In *Bulletin OILB/SROP*, pp. 267-269. Dijon France: International Organization for Biological and Integrated Control of Noxious Animals and Plants (OIBC/OILB), West Palaeartic Regional Section (WPRS/SROP).
- Tuitert, G. (1990).** Assessment of the inoculum potential of *Polymyxa betae* and beet necrotic yellow vein virus (BNYVV) in soil using the most probable number method. *European Journal of Plant Pathology (Historical Archive)* **96**, 331-341.

- Tuitert, G. (1993).** Effect of conditions during storage of infested soil on infection of bait plants by *Polymyxa betae* and beet necrotic yellow vein virus. *European Journal of Plant Pathology (Historical Archive)* **99**, 291-301.
- Tuitert, G. (1993).** Horizontal spread of beet necrotic yellow vein virus in soil. *European Journal of Plant Pathology (Historical Archive)* **99**, 85-96.
- Tuitert, G. & Hofmeester, Y. (1994).** Epidemiology of beet necrotic yellow vein virus in sugar beet at different initial inoculum levels in the presence or absence of irrigation. *European Journal of Plant Pathology (Historical Archive)* **100**, 19-53.
- Tuitert, G., Vanoorschot, P. M. S. M. & Heijbroek, W. (1994).** Effect of Sugar-Beet Cultivars with Different Levels of Resistance to Beet Necrotic Yellow Vein Virus on Transmission of Virus by *Polymyxa-Betae*. *European Journal of Plant Pathology* **100**, 201-220.
- Valenzuela, S., Laucke, G. & Schiemann, J. (2005).** Transformation of *Nicotiana benthamiana* with different BWYV (Beet western yellows virus) sequences to test for virus resistance. *Plant Cell Tissue and Organ Culture* **82**, 169-178.
- van der Heijden, M. W. & Bol, J. F. (2002).** Composition of alphavirus-like replication complexes: involvement of virus and host encoded proteins. *Archives of Virology* **147**, 875-898.
- Vanderwerf, W., Westerman, P. R., Verweij, R. & Peters, D. (1992).** The Influence of Primary Infection Date and Establishment of Vector Populations on the Spread of Yellowing Viruses in Sugar-Beet. *Annals of Applied Biology* **121**, 57-74.
- Verchot-Lubicz, J. (2003).** Soilborne viruses: advances in virus movement, virus induced gene silencing, and engineered resistance. *Physiological and Molecular Plant Pathology* **62**, 55-63.
- Volkman, D., Stanarius, A. & Kuhne, T. (1989).** Eradication of Beet Cryptic Virus (Bcv) from Sugar-Beet Plants (*Beta-Vulgaris* L Var *Altissima*) by Heat Therapy and Meristem Tip Culture. *Archiv Fur Phytopathologie Und Pflanzenschutz-Archives of Phytopathology and Plant Protection* **25**, 413-420.
- Wang, H. P., Gurusinge, P. D. & Falk, B. W. (1999).** Systemic insecticides and plant age affect beet curly top virus transmission to selected host plants. *Plant Disease* **83**, 351-355.
- Webb, C. R., Gilligan, C. A. & Asher, M. J. C. (2000).** Modelling the effect of temperature on the development of *Polymyxa betae*. *Plant Pathology* **49**, 600-607.
- Weber, W. E., Borchardt, D. C. & Koch, G. (2000).** Marker analysis for quantitative traits in sugar beet. *Plant Breeding* **119**, 97-106.
- Werker, A. R., Dewar, A. M. & Harrington, R. (1998).** Modelling the incidence of virus yellows in sugar beet in the UK in relation to numbers of migrating *Myzus persicae*. *Journal of Applied Ecology* **35**, 811-818.
- Whitney, E. D. (1989).** Identification, Distribution, and Testing for Resistance to Rhizomania in Beta-Maritima. *Plant Disease* **73**, 287-290.
- Wiesner, K. & Krause, M. (1991).** Distribution of Beet Mild Yellowing Virus and Beet Yellows Virus in Sugar-Beet in the Course of the Growing-Season. *Archiv Fur Phytopathologie Und Pflanzenschutz-Archives of Phytopathology and Plant Protection* **27**, 109-116.
- Williams, C. T.** Detection of the luteoviruses, beet mild yellowing virus and beet western yellows virus, in aphids caught in sugar-beet and oilseed rape crops, 1990-1993.
- Williams, I. S., Dewar, A. M. & Dixon, A. F. G.** Visualization of pathogens involved in sugar beet rhizomania disease.
- Williams, I. S., Dewar, A. M. & Dixon, A. F. G. (1997).** The effect of host plant-induced stomach precipitate on the ability of *Myzus persicae* (Hemiptera: Aphididae) to transmit sugarbeet yellowing viruses. *Bulletin of Entomological Research* **87**, 643-647.
- Williams, I. S., Dewar, A. M. & Dixon, A. F. G. (1998).** The influence of size and duration of aphid infestation on host plant quality, and its effect on sugar beet yellowing virus epidemiology. *Entomologia Experimentalis Et Applicata* **89**, 25-33.
- Williams, I. S., Dewar, A. M., Dixon, A. F. G. & Thornhill, W. A. (2000).** Alate production by aphids on sugar beet: how likely is the evolution of sugar beet-specific biotypes? *Journal of Applied Ecology* **37**, 40-51.
- Wintermantel, W. M. (2005).** Co-infection of beet mosaic virus with beet yellowing viruses leads to increased symptom expression on sugar beet. *Plant Disease* **89**, 325-331.

- Wisler, G. C. & Duffus, J. E. (2000).** A century of plant virus management in the Salinas Valley of California, 'East of Eden'. *Virus Research* **71**, 161-169.
- Wisler, G. C., Lewellen, R. T., Sears, J. L., Liu, H. Y. & Duffus, J. E. (1999).** Specificity of TAS-ELISA for beet necrotic yellow vein virus and its application for determining rhizomania resistance in field-grown sugar beets. *Plant Disease* **83**, 864-870.
- Wisler, G. C., Lewellen, R. T., Sears, J. L., Wasson, J. W., Liu, H. Y. & Wintermantel, W. M. (2003).** Effects of Two Soil-Borne Viruses of Sugarbeet and Their Fungal Vector, *Polymyxa betae*, on Virus Accumulation and Plant Growth in Sugarbeet.
- Wisler, G. C., Lewellen, R. T., Sears, J. L., Wasson, J. W., Liu, H. Y. & Wintermantel, W. M. (2003).** Interactions between Beet necrotic yellow vein virus and Beet soilborne mosaic virus in sugar beet. *Plant Disease* **87**, 1170-1175.
- Workneh, F., Villanueva, E., Steddom, K. & Rush, C. M. (2003).** Spatial association and distribution of Beet necrotic yellow vein virus and Beet soilborne mosaic virus in sugar beet fields. *Plant Disease* **87**, 707-711.
- Xi, D., Xiang, B., Liu, S., Zhu, S., Zhang, C. & Zhang, Z. (2001).** Isolation and identification of cucumber mosaic virus from sugar beet. *Acta Phytopathologica Sinica* **31**, 251-256.
- Xie, W. S., Antoniw, J. F., White, R. F. & Jolliffe, T. H. (1994).** Effects of Beet Cryptic Virus-Infection on Sugar-Beet in-Field Trials. *Annals of Applied Biology* **124**, 451-459.